

APPLIED HYDRAULIC



APPLIED HYDRAULIC marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir APPLIED HYDRAULIC ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır

APPLIED HYDRAULIC Ürün Listesi

Referans	Tanım
12405C	KIT,SERVICE,HOSE,CRANE,APPLIED HYDR SYS KIT,SERVICE,HOSE,CRANE,MFG:APPLIED HYDRAULIC,P/N:12405C
42101S	Seal, Kit, Luffing Cylinder,
CX7516FJEE	HOSE,HYDR,1",72"LG,1-1/4"FUNF,SWVL HOSE,HYDRAULIC.1IN,72IN LG,1-1/4IN UNF FEMALE SWIVEL,3000 PSI,BRAIDED, SYNTHETIC RUBBER.MFG APPLIED HYDRAULIC
CX7912FJEE	HOSE,HYDR,3/4",76"LG,1"UNF,FML SWVL HOSE,HYDRAULIC.3/4IN,76IN LG,1IN UNF FEMALE SWIVEL,3125 PSI,BRAIDED, SYNTHETIC RUBBER.MFG APPLIED HYDRAULIC ,P/N CX79-12FJEE.
HOIST,VLV CTRL.FOR MOD180B21M	,APPLIED HY HOIST,VALVE CONTROL,MFG:APPLIED HYDRAULIC
HOSE, MFG:APPLIED HYDRAULIC HOSE	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N/A HYDRAULIC HOSE. HYDRAULIC OIL OVERHEAD TANK TO HYDRAULIC PUMP NO. 4 MODEL: 200B-70, TAG: YQ-LIFT-823.
HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC	, HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N74806128 FUEL, FROM RACOR FILTER TO FUEL TANK. TAG # WA-M-600 SER # 059709C, MODEL # 35B450.
HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, HOSE...	HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N76724084 FROM HYD PUMP 3 TO TANK. TAG # WA-M-600, SER # 059709C MODEL # 35B450
HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, HOSE1	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N76508320 FROM ENGINE STARTER TO HYD TANK. TAG # WA-M-600, SER # 059709C, MODEL # 35B450
HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, HOSE2	HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N76732076 FROM HYD PUMP 1 TO HYD TANK. CRANE MOD # 35B450 SER # 05970C
HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, HOSE4.	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N76732076 FROM HYD PUMP 2 TO HYD TANK.MOD # 35B450. SER # 059709C, TAG # WA-M-600
HOSE,HYDR,1-1/4",57-1/2"LG,1-1/2"UNF,FML HOSE	,HYDRAULIC,1-1/4IN,57-1/2IN LG ,1-1/2IN UNF FEMALE SWIVEL,3000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC
HOSE, MFG:APPLIED HYDRAULIC HOSE6	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N/A HYDRAULIC HOSE. HYDRAULIC OIL OVERHEAD TANK TO HYD PUMP NO.2 FOR MODEL 200B-70 CRANE. TAG #: YQ-LIFT-823.

Referans	Tanım
HOSE. MFG:APPLIED HYDRAULIC HOSE7	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N76406-192 ANTI-TWO BLOCK HOSES (3/8" X 96")
HOSE. MFG:APPLIED HYDRAULIC HOSE8	HOSE. MFG:APPLIED HYDRAULIC HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N7C7532-164 HYDRAULIC HOSE PUMP NO. 5 TO HYDRAULIC TANK. MODEL: 340BA-100, FOR YOHO ZBA & YB. TAG #S: ZBA-LIFT-144 & YB-LIFT-144
HOSE.MFG:APPLIED HYDRAULIC HOSE 10	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N/A HYDRAULIC HOSE HYDRAULIC OIL OVERHEAD TANK TO HYDRAULIC PUMP NO. 3. MODEL: 200B-70. TAG: YQ-LIFT-823
HOSE.MFG:APPLIED HYDRAULIC HOSE9	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N/A
INDICATOR	. MFG:APPLIED HYDRAULIC INDICATOR, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N45917-001, BOOM ANGLE INDICATOR PLACARD, SOURCE FROM THOMPSON & GRACE INV. LTD.
KIT.SERVICE.HOSE.CRANE.APPLIED HYDR SYS KIT.	KIT. MFG APPLIED HYDRAULIC KIT, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N45869-002 BALL RING BOLT KIT
KIT.MFG APPLIED HYDRAULIC KIT, MFG:APPLIED HYDRAULIC SYSTEMS INC....	KIT.MFG APPLIED HYDRAULIC KIT, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N16508-501 LUFFING RAM CYLINDER SEAL KIT, CRANE MODEL :35B2-40 [MS], TAG #: GJ-M-600. SUPPLIER : THOMPSON & GRACE
KIT.MFG:APPLIED HYDRAULIC KIT, LATCH.MFG:APPLIED HYDRAULIC LATCH, MFG:APPLIED HYDRAULIC SYSTEMS INC.	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N46419-004 HOIST BOLT KIT. LATCH.MFG:APPLIED HYDRAULIC LATCH, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N46832-005-1 OVERHAUL BALL SAFETY LATCH SOURCE FROM THOMPSON & GRACE
MOTOR. MFG:APPLIED HYDRAULIC SYSTEMS INC MOTOR	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N46876-001
N00031-012	ROPE,WIRE,3/4"DIA,840FT LG,6X25,25.6TON ROPE, WIRE, 3/4IN DIA, 840FT LG, 6X25, 25.6TON BREAKING STRENGTH, STEEL. MFG APPLIED HYDRAULIC, P/N N00031-012.
N12620001	SWIVEL,AIR,2-3/8IN OD X 3-13/16IN LG,CAD SWIVEL,AIR,2-3/8IN OD X 3-13/16IN LG ,CADMIUM PLATED STEEL,MFG:APPLIED HYDRAULIC,P/N:N12620001
N12841001	KIT,SEAL,O-RING,CRANE,P/N:N12841001 KIT,SEAL,O-RING,CRANE,MFG:APPLIED HYDRAULIC,P/N:N12841001
N16508501	KIT,SEAL,O-RING/PACKG RING,CRANE,APPLIED KIT,SEAL,O-RING/PACKING RING,CRANE ,MFG:APPLIED HYDRAULIC,P/N:N16508501
N45017087501	LATCH,BLK HOOK,1-7/32"WD,3-3/4"LG,STEEL LATCH,BLOCK HOOK,1-7/32IN WD X 3-3/4IN LG,STEEL,MFG:APPLIED HYDRAULIC,P/ N:N45017087501
N45025-501	KIT,REPAIR,SPRING/WASHER/HOUSING/SCREW/ KIT,REPAIR ,SPRING/WASHER/HOUSING/SCREW/SEAL,CRANE, MFG:APPLIED HYDRAULIC, P/N:N45025501
N45056072	PUMP,ROTARY,GEAR,1-1/4" PORT,1" CAPACITY PUMP,ROTARY,GEAR,1-1/4IN PORT,1IN CAPACITY,ELECTRIC MOTOR,MFG:APPLIED HYDRAULIC,P/N:N45056072
N45056317	PUMP,ROTARY,GEAR,2" X 1/2" PORT,CAPACITY PUMP,ROTARY,GEAR,2IN X 1/2IN PORT,MOTOR ,MFG:APPLIED HYDRAULIC,P/N: N45056317

Referans	Tanım
N4508008	VALVE,CONTROL,1-5/16IN,UNC, OPERATED, BO VALVE,CONTROL,1-5/16IN,UNC,MFG:APPLIED HYDRAULIC,P/N:N4508008 FOR MODEL35B2-40MS CRANE, SERIAL NUMBER 49513
N45218001A	SWIVEL,HYDRAULIC,STEEL SWIVEL,HYDRAULIC,STEEL,MFG:APPLIED HYDRAULIC,P/N:N45218001A
N45231003	VALVE,CHECK,SPRING,1-1/2IN,STRAIGHT,FULL VALVE,CHECK,SPRING,1-1/2IN,STRAIGHT,FULL PORT,FNPT,STEEL BODY,STEEL,MFG: APPLIED HYDRAULIC,P/N:N45231003
N45408006	VALVE,HYDRAULIC CONTROL,1-1/8IN X 1-1/4I VALVE,HYDRAULIC CONTROL,1-1/8IN X 1-1/4IN,3-WAY,FNPT,BOLTED BONNET, LEVER OPERATED,STEEL BODY,MFG:APPLIED HYDRAULIC,P/N:N45408006
N45408006SK	KIT,SEAL,O-RING/PACKG RING,CRANE,APPLIED KIT,SEAL,O-RING/PACKING RING,CRANE ,MFG:APPLIED HYDRAULIC,P/N:N45408006SK
N45408007	VALVE,HYDRAULIC SWING CONTROL,1",5-WAY,N VALVE,HYDRAULIC SWING CONTROL,1 IN,5-WAY ,FNPT,BOLTED BONNET,LEVER OPERATED,STEEL BODY,STEEL,MFG:APPLIED HYDRAULIC,P/N:N45408007
N45408023	VALVE,CONTROL, VALVE,CONTROL,MFG:APPLIED HYDRAULIC ,P/N:N45408023
N45408053SK	KIT,SEAL,O-RING,CRANE,APPLIED HYDR SYS KIT,SEAL,O-RING,CRANE,MFG:APPLIED HYDRAULIC,P/N:N45408053SK
N45410001	VALVE,RELIEF,SAFETY,3/8IN,FNPT"LET,3/8IN VALVE,RELIEF,SAFETY,3/8IN,FNPT INLET ,3/8IN,FNPT OUTLET,PRESSURE OPERATED,ALUM BODY,MFG:APPLIED HYDRAULIC ,P/N:N45410001
N45419004	VALVE,CONTROL,1/4IN,2-WAY,5000PSI,FN VALVE,CONTROL,1/4IN,2-WAY,5000PSI,FNPT ,UNION,PRESSURE OPERATED,STEEL BODY,MFG:APPLIED HYDRAULIC,P/N:N45419004
N45421002	PULLEY,BOOM,1-15/16IN BORE,13-15/16IN OD PULLEY,BOOM,1-15/16IN BORE,13-15/16IN OD ,2-3/64IN WD,1 GROOVE,NYLATRON, MFG:APPLIED HYDRAULIC,P/N:N45421002
N45674004	VALVE,CHECK,POPPET,1-1/4IN,2-WAY,3000PSI VALVE,CHECK,POPPET,1-1/4IN,2-WAY,3000PSI ,FULL PORT,FNPT,UNION CAP,STEEL BODY,MFG:APPLIED HYDRAULIC,P/N:N45674004
N45686005	MFG:AP MOTOR,HYDRAULIC SWING,MFG:APPLIED HYDRAULIC,P/N:N45686005
N45686006	MOTOR,HYDRAULIC,"PUT, OUTPUT,N MOTOR, SWING, HYDRAULIC, CRANE. 1 IN SPLINED OD SHAFT. MFG APPLIED HYDRAULIC SYSTEMS INC, P/N N45686-006. FOR MODEL 35B3T3-50MS CRANE, SERIAL NO 049604C.
N45686007	MOTOR,HYDRAULIC,CRANE,100HP OUTPUT MOTOR,HYDRAULIC,CRANE,100HP OUTPUT,1800 RPM,MFG:APPLIED HYDRAULIC,P/N: N45686007
N45747009	KIT,REBUILD,BLOCK & O-RING,VALVE,APPLIED KIT,REBUILD,BLOCK & O-RING,VALVE ,MFG:APPLIED HYDRAULIC,P/N:N45747009
N45758004	VALVE,CRANE SHUTTLE,3/8IN,3-WAY,FNPT,SCR VALVE,CRANE SHUTTLE,3/8IN,3-WAY,FNPT ,SCREWED,BALL FLOAT OPERATED,STEEL BODY,MFG:APPLIED HYDRAULIC,P/N:N45758004

Referans	Tanım
N45923001	PICKUP. MFG:APPLIED HYDRAULIC PICKUP, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N45923-001 TACHOMETER MAGNETIC PICKUP. CRANE MODEL: 340BA-100 TAG #: ZBA-LIFT-144.
N45931009	PULLEY,CRANE BOOM,3"BORE,20"OD,2-3/8"WD PULLEY,CRANE BOOM,3IN BORE,20IN OD ,2-3/8IN WD,1 GROOVE,NYLATRON,MFG: APPLIED HYDRAULIC,P/N:N45931009
N45931010	PULLEY,CRANE BOOM,4-1/2"BORE,20"OD PULLEY,CRANE BOOM,4-1/2IN BORE,20IN OD ,2-1/2IN WD,1 GROOVE,NYLATRON,MFG: APPLIED HYDRAULIC,P/N:N45931010
N45943RK	KIT,SEAL,O-RING/RING,CRANE,P/N:N45943RK KIT,SEAL,O-RING/RING,CRANE,MFG:APPLIED HYDRAULIC,P/N:N45943RK
N45998001	VALVE,FLOAT,3/4",2-WAY,MNPT,LIFT OPERATE VALVE,FLOAT,3/4IN,2-WAY,MNPT,LIFT OPERATED,BRONZE BODY,MFG:APPLIED HYDRAULIC,P/N:N45998001
80-016-2011	Dichtungssatz
N46017004	TACHOMETER, MFG:APPLIED HYDRAULIC SYSTEM TACHOMETER, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N46017-004 CRANE MODEL: 340BA-100, TAG: ZBA-LIFT-144.
N460540136	KIT,REPAIR,LUBRICANT/FITTG,CRANE,APPLIED KIT,REPAIR,LUBRICANT/FITTING,CRANE ,MFG:APPLIED HYDRAULIC,P/N:N460540136
N460540146	KIT,REPAIR,FLIUD/FITTING,CRANE,APPLIED KIT,REPAIR,FITTING & LUBRICANT,CRANE ,MFG:APPLIED HYDRAULIC,P/N: N460540146
N4611500116	UNIT,MARKLOAD SYS TEST,APPLIED HYDR SYS UNIT,MARKLOAD SYSTEM TEST,MFG:APPLIED HYDRAULIC,P/N:N4611500116
N46154002	VALVE,CHECK,SPRING,6IN,STRAIGHT,FULL POR VALVE,CHECK,SPRING,6IN,STRAIGHT,FULL PORT,SOCKET WELD,BOLTED BONNET,SS BODY,MFG:APPLIED HYDRAULIC,P/N:N46154002
N46214-501	KIT,SEAL,O-RING & GASKET,CRANE KIT,SEAL,O-RING & GASKET,CRANE ,MFG:APPLIED HYDRAULIC,P/N:N46214-501.
N4628900	JOINT,TRACK,2-1/4"WD,6"LG,1-3/8"THK,SS JOINT,TRACK,2-1/4IN WD X 6IN LG X 1-3/8IN THK,SS,MFG:APPLIED HYDRAULIC, P/N:N4628900
N46289007	TROLLEY,SADDLE ASSEMBLY,APPLIED HYDR SYS TROLLEY,SADDLE ASSEMBLY,MFG:APPLIED HYDRAULIC,P/N:N46289007
N46356001	KIT,REPAIR,HOSE,CRANE,APPLIED HYDR SYS KIT,REPAIR,HOSE,CRANE.MFG:APPLIED HYDRAULIC,P/N:N46356001
N46358001	KIT,REPLACEMENT,HOSE,CRANE,MFG:APPLIED H KIT,REPLACEMENT,HOSE,CRANE,MFG:APPLIED HYDRAULIC,P/N:N46358001
N46431005HM	MOTOR,HOIST WINCH,BRADEN CARCO GEARMATIC MOTOR,HOIST WINCH,MFG:APPLIED HYDRAULIC ,P/N:N46431005HM
N464320010C	PINION,CLUTCH,3-9/16"OD,2-3/8"WD,STEEL PINION,CLUTCH,MFG:APPLIED HYDRAULIC ,P/N:N464320010C
N46432-008.	HOIST. HOIST. MFG APPLIED HYDRAULIC SYSTEMS INC, P/N
N46675005	,BOOM CONTROL,1IN X 1-1/4IN,5-WAY ,FNPT,BOLTED BONNET,LEVER OPERATED,STEEL BODY,MFG:APPLIED HYDRAULIC,P/N:N46675005
N46675005SK	KIT,SEAL,O-RING,CRANE,APPLIED HYDR SYS KIT,SEAL,O-RING,CRANE,MFG:APPLIED HYDRAULIC,P/N:N46675005SK

Referans	Tanım
N46675006	VALVE,HOIST CONTROL,1-1/8IN X 1-1/2IN,8- VALVE,HOIST CONTROL,1-1/8IN X 1-1/2IN ,8-WAY,THD,THD BONNET,LEVER OPERATED,CAST IRON BODY,MFG:APPLIED HYDRAULIC,P/N:N46675006
N46675006SK	KIT,SEAL,O-RING,CRANE,APPLIED HYDR SYS KIT,SEAL,O-RING,CRANE,MFG:APPLIED HYDRAULIC,P/N:N46675006SK
N46675009	VALVE,HOIST CONTROL,1-1/8IN X 1-1/2IN,6- VALVE,HOIST CONTROL,1-1/8IN X 1-1/2IN ,6-WAY,FLANGED,THD BONNET,LEVER OPERATED,STEEL BODY,MFG:APPLIED HYDRAULIC,P/N:N46675009
N46675015SK	KIT,SEAL,O-RING/RING,CRANE,APPLIED HYDR KIT,SEAL,O-RING/RING,CRANE,MFG:APPLIED HYDRAULIC,P/N:N46675015SK
N46708531	KIT,BELT,ENGINE. KIT, BELT, ENGINE. MFG APPLIED HYDRAULICS, P/N N46708-531. FOR MODEL 35B4-60 (DT) CRANE, SERIAL NO 020201C.
N46708551	RADIATOR, MFG:APPLIED HYDRAULIC SYSTEMS RADIATOR, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N46708-551, RADIATOR AND CAP, MODEL: 35B4-60, TAG : YA-LIFT-1121.
N46785030SK	KIT,SEAL,BEARING,CRANE,APPLIED HYDRAULIC KIT,SEAL,BEARING,CRANE,MFG:APPLIED HYDRAULIC,P/N:N46785030SK
N46785049	PUMP,HYDRAULIC,CRANE,"LET, OUTLET, PUMP,HYDRAULIC,CRANE,MFG:APPLIED HYDRAULIC,P/N:N46785049
N46785055	PUMP,ROTARY,LOBE,1-1/4" X 1"PORT,CAPAC PUMP,ROTARY,LOBE,1-1/4IN X 1IN PORT ,MFG:APPLIED HYDRAULIC,P/N:N46785055
N46785056	PUMP,ROTARY,LOBE,3/4 X 3/8"PORT,CAPACITY PUMP,ROTARY,LOBE,3/4IN X 3/8IN PORT ,MFG:APPLIED HYDRAULIC,P/N:N46785056
N46785072	PUMP,ROTARY,LOBE,2-1/2" X 1-1/2" PORT, PUMP,ROTARY,LOBE,2-1/2IN X 1-1/2IN PORT ,ELECTRIC MOTOR,MFG:APPLIED HYDRAULIC,P/N:N46785072
N46837001	SEAL,ELECTRIC SWIVEL,3-5/8IN LG,ALUMINUM SEAL,ELECTRIC SWIVEL,3-5/8IN LG,ALUMINUM ,MFG:APPLIED HYDRAULIC,P/N: N46837001
N46876001RB	KIT,SEAL,GASKET & RING,PEDESTAL CRANE KIT,SEAL,GASKET & RING,PEDESTAL CRANE ,MFG:APPLIED HYDRAULIC,P/N: N46876001RB
N46884001	SWIVEL,HYDR,11"OD X 14"LG,STEEL SWIVEL,HYDRAULIC,11IN OD X 14IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N: N46884001
N46888501	KIT,ELEMENT,FILTER KIT,ELEMENT,FILTER,MFG:APPLIED HYDRAULIC ,P/N:N46888501
N47010001	VALVE,HYDRAULIC CONTROL,1-1/2IN,3-WAY,FL VALVE,HYDRAULIC CONTROL,1-1/2IN,3-WAY ,FLANGED,BOLTED BONNET,LEVER OPERATED,CAST IRON BODY,MFG:APPLIED HYDRAULIC,P/N:N47010001
N47017001	VALVE,BOOM CONTROL,1/2IN,4-WAY,FNPT,BOLT VALVE,BOOM CONTROL,1/2IN,4-WAY,FNPT ,BOLTED BONNET,HANDLE OPERATED,STEEL BODY,MFG:APPLIED HYDRAULIC,P/N:N47017001
N47018001	VALVE,SWING,3/4IN,2-WAY,FNPT,BOLTED BONN VALVE,SWING,3/4IN,2-WAY,FNPT,BOLTED BONNET,LEVER OPERATED,STEEL BODY, MFG:APPLIED HYDRAULIC,P/N:N47018001
N47019001	VALVE,HOIST CONTROL,1-1/4IN,4-WAY,FNPT,N VALVE,HOIST CONTROL,1-1/4IN,4-WAY,FNPT ,HAND OPERATED,STEEL BODY,MFG: APPLIED HYDRAULIC,P/N:N47019001
N47020001	SWIVEL,HYDRAULIC,STEEL,APPLIED HYDRAULIC SWIVEL,HYDRAULIC,STEEL,MFG:APPLIED HYDRAULIC,P/N:N47020001

Referans	Tanım
N60006045	PIN,CONNECTING,3"OD,12-1/2"LG,STEEL PIN,CRANE BOOM,3IN OD X 12-1/2IN LG ,STEEL,MFG:APPLIED HYDRAULIC,P/N: N60006045
N60006055	PIN,DOWEL,CYLINDER,4"DIA,11"LG,STEEL PIN,LIFT CYLINDER,4IN OD X 11IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N: N60006055
N60006056	PIN,DOWEL,CYLINDER,4"DIA,10"LG,STEEL PIN,LIFT CYLINDER,4IN OD X 10IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N: N60006056
N60006102	PIN,CONNECTING,3"OD,11-1/4"LG,STEEL PIN,CRANE BOOM,3IN OD X 11-1/4IN LG ,STEEL,MFG:APPLIED HYDRAULIC,P/N: N60006102
N60014037	PLATE,BOOM CONNTG PIN,3-1/8"ID,4-1/2"OD PLATE,BOOM CONNECTING PIN,4-1/2IN OD X 1-7/8IN THK,STEEL,MFG:APPLIED HYDRAULIC,P/N:N60014037
N60055010	PIN,BOOM FOOT,5"OD,44"LONG,STEEL PIN,CRANE BOOM,5IN OD X 44IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N: N60055010
N60136014	SLEEVE,PIN,5IN ID X 6IN OD X 4-1/2IN WD, SLEEVE,PIN,5IN ID X 6IN OD X 4-1/2IN WD ,BRONZE,MFG:APPLIED HYDRAULIC,P/
N60492003	PIN,BOOM SHEAVE,2-1/2"OD,10"LONG,STEEL PIN,BOOM SHEAVE,2-1/2IN OD X 10IN LG ,STEEL,MFG:APPLIED HYDRAULIC,P/N: N60492003
N606136017	INSERT,BRONZE,APPLIED HYDRAULIC INSERT,BRONZE,MFG:APPLIED HYDRAULIC ,P/N:N606136017
N60986004	PIN,BOOM CONNECTING,2-1/4"OD,7-1/4"LG,S PIN,CRANE BOOM,2-1/4IN OD X 7-1/4IN LG ,STEEL,MFG:APPLIED HYDRAULIC,P/N: N60986004
N61152001	PIN,DOWEL,3"DIA,15"LG,SS PIN,BOOM SHEAVE,3IN OD X 15IN LG,SS ,MFG:APPLIED HYDRAULIC,P/N:N61152001
N61595001	PIN,BOOM FOOT,4"OD,15-1/2"LG,STEEL PIN,CRANE BOOM,4IN OD X 15-1/2IN LG ,STEEL,MFG:APPLIED HYDRAULIC,P/N: N61595001
N61603001	PIN,BRIDLE SHEAVE,3"OD,26"LG,STEEL PIN,BRIDLE SHEAVE,3IN OD X 26IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N: N61603001
N61604001	PIN,IDLER,3"OD,36"LG,S,P/N:N61604001 PIN,IDLER,3IN OD X 36IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N:N61604001
N61605001	PIN,AUX SHEAVE,3"OD,12-3/4"LG,STEEL PIN,SHEAVE,3IN OD X 12-3/4IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N: N61605001
N61867001	PIN,BOOM FOOT,3"OD,26"LONG,STEEL PIN,CRANE BOOM,3IN OD X 26IN LG,STEEL ,MFG:APPLIED HYDRAULIC,P/N: N61867001
N61870001	PIN,BOOM FOOT,4"OD,31-1/2"LG,STEEL PIN,CRANE BOOM,4IN OD X 31-1/2IN LG ,STEEL,MFG:APPLIED HYDRAULIC,P/N:
N70616070	HOSE,HYDR,1",32"LG,1-1/4"12TPI,FML SWVL HOSE,HYDRAULIC,1IN,32IN LG,1-1/4IN 12TPI FEMALE SWIVEL,150 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N70616070
N70616198	HOSE,CRANE,1"ID,81-1/2"LG,1-1/4"UNF,FML HOSE,CRANE,1IN ID X 1-7/8IN OD X 81-1/2IN LG,1-1/4IN UNF FEMALE SWIVEL, 150 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N70616198
N70616210	HOSE,HYDR,1",102"LG,1-1/4"12TPT,FML SWL HOSE,HYDRAULIC,1IN,102IN LG,1-1/4IN 12TPI FEMALE SWIVEL,150PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC
N70616510	HOSE,HYDR,1",1-5/16"11-1/2TPI FML SWVL HOSE,HYDRAULIC,1IN,25IN LG,1-5/16IN

Referans	Tanım
N70624250	HOSE,CRANE,1-1/2"ID,2"OD,12"LNG,150PSI HOSE,CRANE,1-1/2IN ID X 2IN OD X 12IN LG ,1-13/16IN 12TPI FEMALE SWIVEL, 150 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N70624250
N70632130	HOSE,HYDR,2",59"LG,2-3/8"12TPI,FEMALE HOSE,HYDRAULIC,2IN,59IN LG,2-3/8IN 12TPI FEMALE SWIVEL,150PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N70632130
N70632176	HOSE,HYDR,2",82"LG,2-1/2"12TPI,FML SWVL HOSE,HYDRAULIC,2IN,82IN LG,2-1/2IN 12TPI FEMALE SWIVEL,150PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N70632176
N70632210	HOSE,HYDR,2",99"LG,2-3/8"12TPI,FEMALE HOSE,HYDRAULIC,2IN,99IN LG,2-3/8IN 12TPI FEMALE SWIVEL,150 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N70632210
N706616076	HOSE,HYDR,1",35"LG,1-5/16"12TPI,FML,SWVL HOSE,HYDRAULIC,1IN,35IN LG,1-5/16IN 12TPI FEMALE SWIVEL,150PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N706616076
N7412240	HOSE,HYDR,3/4",117"LG,1"UNF,FML SWVL HOSE,HYDRAULIC,3/4IN,117IN LG,1IN UNF FEMALE SWIVEL,4000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N7412240
N74504048	HOSE,HYDR,1/4",22"LG,2750PSI,BRAIDED HOSE,HYDRAULIC,1/4IN,22IN LG,3/8IN 20TPI FEMALE SWIVEL,2750PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504048
N74504064	HOSE,HYDR,1/4",31"LG,7/16"18TPI,FML SWVL
N74504080	HOSE,HYDR,1/4",39"LG,3/8"20TPI,FML SWVL HOSE,HYDRAULIC,1/4IN,39IN LG,3/8IN 20TPI FEMALE SWIVEL,5000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504080
N74504100	HOSE,HYDR,1/4",49"LG,5/16"UNC,FML SWL HOSE,HYDRAULIC,1/4IN,49IN LG,5/16IN UNC FEMALE SWIVEL,5000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504100
N74504120	HOSE,CRANE,1/4"ID,60-3/4"LG,7/16"UNF,FML HOSE,CRANE,1/4IN ID X 3/8IN OD X 60-3/4IN LG,7/16IN UNF FEMALE SWIVEL, 5000 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74504120
N74504130	HOSE,HYDR,1/4",64"LG,3/8"18TPI,FEMALE HOSE,HYDRAULIC,1/4IN,64IN LG,3/8IN 18TPI FEMALE SWIVEL,2750PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504130
N74504200	HOSE,HYDR,1/4",99"LG,7/16"UNF,FML SWVL HOSE,HYDRAULIC,1/4IN,99IN LG,7/16IN UNF FEMALE SWIVEL,2750PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504200
N74504210	HOSE,HYDR,1/4",1/2"UNF FML SWVL,5000PSI HOSE,HYDRAULIC,1/4IN,104IN LG,1/2IN UNF FEMALE SWIVEL,5000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504210
N74504216	HOSE,HYDR,1/4",107-1/2"LG,7/16"18TPI,FML HOSE,HYDRAULIC,1/4IN,107-1/2IN LG,7/16IN 18TPI FEMALE SWIVEL,5000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74504216
N74504220	HOSE,HYDR,1/4",109"LG,3/8"18TPI,FML SWVL HOSE,HYDRAULIC,1/4IN,109IN LG,3/8IN 18TPI FEMALE SWIVEL,5000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504220

Referans	Tanım
N74504312	HOSE,HYDR,1/4",154"LG,7/16"18TPI,FML SWL HOSE,HYDRAULIC,1/4IN,154IN LG,7/16IN 18TPI FEMALE SWIVEL,5000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74504312
N74504600	HOSE,CRANE,1/4"ID,310"LG,7/16"UNF,FEMALE HOSE,CRANE,1/4IN ID X 19/32IN OD X 310IN LG,7/16IN UNF FEMALE SWIVEL, 5000 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74504600
N74504620	HOSE,HYDR,1/4",309"LG,5000PSI,BRAIDED HOSE,HYDRAULIC,1/4IN,309IN LG,7/16IN UNF FEMALE SWIVEL,5000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74504620
N74506060	HOSE,CRANE,3/8"ID,5/8"20TPI FML SWVL HOSE,CRANE,3/8IN ID X 3/4IN OD X 28IN LG ,5/8IN 20TPI FEMALE SWIVEL,4000 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74506060
N74506068	HOSE,HYDR,3/8",9/16"UNF FML SWVL,4000PSI HOSE,HYDRAULIC,3/8IN,32-1/2IN LG,9/16IN UNF FEMALE SWIVEL,4000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74506068
N74506088	HOSE,HYDR,3/8,42"LG,5/8"UNF,FML SWVL HOSE,HYDRAULIC,3/8IN,42IN LG,5/8IN UNF FEMALE SWIVEL,4000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74506088
N74506120	HOSE,CRANE,3/8"ID,1/4"FNPT FML SWVL HOSE,CRANE,3/8IN ID X 3/4IN OD X 58IN LG
N74506550	HOSE,CRANE,3/8"ID,5/8"UNF FML SWVL,RUBR HOSE,CRANE,3/8IN ID X 3/4IN OD X 273IN LG,5/8IN UNF FEMALE SWIVEL,4000 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74506550
N74508130	HOSE,HYDR,1/2",63"LG,3/4"16TPI,FML SWVL HOSE,HYDRAULIC,1/2IN,63IN LG,3/4IN 16TPI FEMALE SWIVEL,4250PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74508130
N74608090	HOSE,HYDR,1/2",7/16"16TPI F/SWVL,3500PSI HOSE,HYDRAULIC,1/2IN,43IN LG,7/16IN 16TPI FEMALE SWIVEL,3500PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74608090
N74612190	HOSE,HYDR,3/4",92"LG,1"12TPI,FEMALE HOSE,HYDRAULIC,3/4IN,92IN LG,1IN 12TPI FEMALE SWIVEL,4000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74612190
N74704080	HOSE,HYDR,1/4",38-3/4"LG,3/8"18TPI,FML HOSE,HYDRAULIC,1/4IN,38-3/4IN LG,3/8IN 18TPI FEMALE SWIVEL,5000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74704080
N74708100	HOSE,CRANE,1/2"ID,48"LG,3/4"UNF,FML SWVL HOSE,CRANE,1/2IN ID X 7/8IN OD X 48IN LG ,3/4IN UNF FEMALE SWIVEL,5000 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74708100
N74708194	HOSE,CRANE,1/2"ID,95"LG,11/16"16TPI,FML HOSE,CRANE,1/2IN ID X 7/8IN OD X 95IN LG ,11/16IN 16TPI FEMALE SWIVEL, 3500 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74708194
N74712050	HOSE,HYDR,3/4",22-3/4"LG,1-1/16"12TPI, HOSE,HYDRAULIC,3/4IN,22-3/4IN LG ,1-1/16IN 12TPI FEMALE SWIVEL,4000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74712050
N74712142	Schlauch

Referans	Tanım
N74712156	HOSE,HYDR,3/4",1"FNPT FML SWVL,4000PSI HOSE,HYDRAULIC,3/4IN,75IN LG,1IN FNPT FEMALE SWIVEL,4000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74712156
N74712160	HOSE,HYDR,3/4",1"UNF FML SWVL 4000PSI HOSE,HYDRAULIC,3/4IN,77IN LG,1IN UNF FEMALE SWIVEL,4000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74712160
N74712168	HOSE,HYDR,3/4",81-1/2"LG,1"UNF,FML SWVL HOSE,HYDRAULIC,3/4IN,81-1/2IN LG,1IN UNF FEMALE SWIVEL,4000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC
N74712230	HOSE,HYDR,3/4",112"LG,3000PSI,BRAIDED HOSE,HYDRAULIC,3/4IN,112IN LG,1-1/16IN 16TPI FEMALE SWIVEL,3000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74712230
N74716150	HOSE,HYDR,1",73"LG,1-5/16"12TPI,FEMALE HOSE,HYDRAULIC,1IN,73IN LG,1-5/16IN 12TPI FEMALE SWIVEL,3500 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74716150
N74716210	HOSE,HYDR,1",102"LG,1-1/4"12TPI,FEMALE HOSE,HYDRAULIC,1IN,102IN LG,1-1/4IN 12TPI FEMALE SWIVEL,3500 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74716210
N74716236	HOSE,CRANE,1"ID,116"LG,1-1/4"UNF,FML,SWL HOSE,CRANE,1IN ID X 1-1/16IN OD X 116IN LG,1-1/4IN UNF FEMALE SWIVEL, 3500 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74716236
N74716270	HOSE,HYDR,1",1-5/16"12TPI FML SWVL,RUBR HOSE,HYDRAULIC,1IN,133IN LG,1-5/16IN 12TPI FEMALE SWIVEL,3500PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74716270
N74716284	HOSE,HYDRAULIC,1",140" LG,1-5/16" 12TPI HOSE,HYDRAULIC,1IN,140IN LG,1-5/16IN 12TPI FEMALE SWIVEL,3500PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74716284
N74720150	HOSE,HYDR,1-1/4",72"LG,1-5/8"11-1/2TPI HOSE,HYDRAULIC,1-1/4IN,72IN LG,1-5/8IN 11-1/2TPI FEMALE SWIVEL,3000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74720150
N74720168	HOSE,HYDR,1-1/4",81"LG,1-5/8"12TPI,FML HOSE,HYDRAULIC,1-1/4IN,81IN LG,1-5/8IN 12TPI FEMALE SWIVEL,3000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74720168
N74720184	HOSE,CRANE,1-1/4"ID,88"LG,1-9/16"12TPI HOSE,CRANE,1-1/4IN ID X 2IN OD X 88IN LG ,1-9/16IN 12TPI FEMALE SWIVEL, 3000 PSI,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74720184
N74720192	HOSE,HYDR,1-1/4",92-1/2"LG,1-5/8"12TPI HOSE,HYDRAULIC,1-1/4IN,92-1/2IN LG ,1-5/8IN 12TPI FEMALE SWIVEL,3000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74720192
N74720330	HOSE,HYDR,1-1/4",1-5/8"12TPI FML SWVL HOSE,HYDRAULIC,1-1/4IN,161IN LG,1-5/8IN 12TPI FEMALE SWIVEL,3000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74720330
N7472240	HOSE,HYDR,1-1/4"SIZE,115"LG,3000PSI HOSE,HYDRAULIC,1-1/4IN,115IN LG LG ,1-1/2IN 12TPI JIC STRAIGHT FEMALE FITTING,3000PSI,3 WIRE BRAID REINFORCED ,RUBBER,MFG:APPLIED HYDRAULIC,P/ N:N74720-240
N74724200	HOSE,HYDR,1-1/2",97"LG,2000PSI,BRAIDED HOSE,HYDRAULIC,1-1/2IN,97IN LG,1-1/2IN 11TPI FEMALE SWIVEL,2000PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74724200

Referans	Tanım
N74724220	HOSE,HYDRAULIC,1-1/2"ID,107"LG,1-7/8"FML HOSE,HYDRAULIC,1-1/2IN,107IN LG,1-7/8IN STRAIGHT FEMALE FITTINGS, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74724220
N74724250	HOSE,HYDR,1-1/2",123"LG,1-7/8"12TPI FML
N74724304	HOSE,CRANE,1-1/2"ID,1.75"12TPI FML SWVL HOSE,CRANE,1-1/2IN ID X 2-1/16IN OD X 150IN LG,1-3/4IN 12TPI FEMALE SWIVEL,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74724304
N74724312	HOSE,CRANE,1-1/2"ID,1-3/4"12TPI FML SWVL HOSE,CRANE,1-1/2IN ID X 2-1/16IN OD X 154IN LG,1-3/4IN 12TPI FEMALE SWIVEL,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74724312
N74724488	HOSE,CRANE,1-1/2"ID,2-3/16"OD,220"LG HOSE,CRANE,1-1/2IN ID X 2-3/16IN OD X 220IN LG,1-27/32IN 12TPI FEMALE SWIVEL,150 PSI,SYNTHETIC RUBBER ,MFG:APPLIED HYDRAULIC,P/N:N74724488
N74724500	HOSE,HYDR,1-1/2",250"LG,1-3/4"12TPI,FML HOSE,HYDRAULIC,1-1/2IN,250IN LG,1-3/4IN 12TPI FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N74724500
N74724552	HOSE,HYDR,1-1/2",277"LG,1-7/8"12TPI FML HOSE,HYDRAULIC,1-1/2IN,277IN LG,1-7/8IN 12TPI STRAIGHT FEMALE FITTINGS, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N74724552
N7604350	HOSE,HYDR,1/4",173"LG,7/16"UNF FML SWVL HOSE,HYDRAULIC,1/4IN,173IN LG,7/16IN UNF FEMALE SWIVEL,5000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC
N7608200	HOSE,HYDR,1/2",109"LG,3/4"16TIPI,FEMALE
N76116116	HOSE,HYDR,1",54-1/2"LG,1-1/4"UNF,FML,SWL HOSE,HYDRAULIC,1IN,54-1/2IN LG,1-1/4IN UNF FEMALE SWIVEL,150PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76116116
N76120056	HOSE,HYDR,1-1/4",1-5/8"12TPI FML SWVL HOSE,HYDRAULIC,1-1/4IN,25IN LG,1-5/8IN 12TPI FEMALE SWIVEL,150 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76120056
N76124132	HOSE,HYDR,1-1/2",62"LG,1-1/4"UNF,FML SWL HOSE,HYDRAULIC,1-1/2IN,62IN LG,1-1/4IN UNF FEMALE SWIVEL,150PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76124132
N76404026	HOSE,HYDR,1/4",11"LG,3/8"20TPI,FML SWVL HOSE,HYDRAULIC,1/4IN,11IN LG,3/8IN 20TPI FEMALE SWIVEL,3200 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404026
N76404040	HOSE,HYDR,1/4",18-1/2"LG,7/16"UNF,FML HOSE,HYDRAULIC,1/4IN,18-1/2IN LG,7/16IN UNF FEMALE SWIVEL,5000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76404040
N76404048	HOSE,HYDR,1/4",22"LG,3/8"20TPI,FML SWVL HOSE,HYDRAULIC,1/4IN,22IN LG,3/8IN 20TPI FEMALE SWIVEL,3200PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404048
N76404080	HOSE,HYDR",1/4IN,38"LG,3/8"20TPI,FML SWL HOSE,HYDRAULIC,1/4IN,38IN LG,3/8IN 20TPI FEMALE SWIVEL,3200PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404080
N76404094	HOSE,HYDR",1/4",45"LG,3/8"20TPI,FML SWVL HOSE,HYDRAULIC,1/4IN,45IN LG,3/8IN 20TPI FEMALE SWIVEL,3200 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC P/N:N76404094

Referans	Tanım
N76404110	HOSE,HYDR,1/4",53-1/2"LG,7/16"18TPI,FML HOSE,HYDRAULIC,1/4IN,53-1/2IN LG,7/16IN 18TPI FEMALE SWIVEL,5000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76404110
N76404130	HOSE,HYDR,1/4",63-3/4"LG,7/16"18TPI,FML HOSE,HYDRAULIC,1/4IN,63-3/4IN LG,7/16IN 18TPI FEMALE SWIVEL,5000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76404130
N76404240	HOSE,HYDR,1/4",118"LG,7/16"18TPI,FML HOSE,HYDRAULIC,1/4IN,118IN LG,7/16IN 18TPI FEMALE SWIVEL,5000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76404240
N76404250	HOSE,HYDR,1/4",123-1/2"LG,7/16"UNF FML HOSE,HYDRAULIC,1/4IN,123-1/2IN LG,7/16IN UNF FEMALE SWIVEL,5000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76404250
N76404270	HOSE,HYDR,1/4",33-1/2"LG,7/16"UNF FML HOSE,HYDRAULIC,1/4IN,33-1/2IN LG,7/16IN UNF FEMALE SWIVEL,5000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76404270
N76404296	HOSE,HYDR,1/4",147"LG,7/16"UNF FML SWVL HOSE,HYDRAULIC,1/4IN,147IN LG,7/16IN UNF FEMALE SWIVEL,5000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404296
N76404330	HOSE,HYDR,1/4",163"LG,3200PSI,BRAIDED HOSE,HYDRAULIC,1/4IN,163IN LG,3/8IN 20TPI FEMALE SWIVEL,3200 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76404330
N76404360	HOSE,HYDR,1/4",179"LG,7/16"UNF FML SWVL HOSE,HYDRAULIC,1/4IN,179IN LG,7/16IN UNF FEMALE,5000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404360
N76404590	HOSE,HYDR,1/4",294"LG,7/16"UNF FML SWVL HOSE,HYDRAULIC,1/4IN,294IN LG,7/16IN UNF FEMALE SWIVEL,5000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404590
N76404924	HOSE,HYDR,1/4",459"LG,7/16"UNF FML SWVL HOSE,HYDRAULIC,1/4IN,459IN LG,7/16IN UNF FEMALE SWIVEL,5000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404924
N76404964	HOSE,HYDR,1/4",483"LG,7/16"UNF FML SWVL HOSE,HYDRAULIC,1/4IN,483IN LG,7/16IN UNF FEMALE SWIVEL,5000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76404964
N76406048	HOSE,HYDR,3/8",24"LG,1/2"18TPI,FML SWVL HOSE,HYDRAULIC,3/8IN,24IN LG,1/2IN 18TPI FEMALE SWIVEL,3000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76406048
N76406130	HOSE,HYDR,3/8",35"LG,1/2"18TPI,FML SWVL HOSE,HYDRAULIC,3/8IN,35IN LG,1/2IN 18TPI FEMALE SWIVEL,4000 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76406130
N76406134	HOSE,HYDR,3/8",65"LG,1/2"18TPI,FML SWL HOSE,HYDRAULIC,3/8IN,65IN LG,1/2IN 18TPI FEMALE SWIVEL,3000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76406134
N76406354	HOSE,HYDR,3/8",198"LG,1/2"18TP,FML SWVL HOSE,HYDRAULIC,3/8IN,198IN LG,1/2IN 18TPI FEMALE SWIVEL,3000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76406354
N76406400	HOSE,HYDR,3/8",34"LG,1/2"18TPI,FML SWVL HOSE,HYDRAULIC,3/8IN,34IN LG,1/2IN 18TPI FEMALE SWIVEL,3000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC

Referans	Tanım
N76408104	HOSE,HYDR",1/2",59"LG,3/4"UNF,FML SWVL HOSE,HYDRAULIC,1/2IN,59IN LG,3/4IN UNF SWIVEL FEMALE,2500 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76408104
N76408-124	HOSE,HYDR",1/2",59"LG,11/16"16TPI,FML HOSE,HYDRAULIC,1/2IN,59IN LG,11/16IN 16TPI FEMALE SWIVEL,2500PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76408-124.
N76408156	HOSE,HYDR',1/2",75"LG,11/16"16TPI,FML SL HOSE,HYDRAULIC,1/2IN,75IN LG,11/16IN 16TPI FEMALE SWIVEL,2500PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76408156
N76408160	HOSE,HYDR,1/2",77"LG,3/4"UNF,FMML SWVL HOSE,HYDRAULIC,1/2IN,77IN LG,3/4IN UNF FEMALE SWIVEL,2500 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76408160
N76408196	HOSE,HYDR,1/2",96"LG,11/16"16TPI,FML,SWL HOSE,HYDRAULIC,1/2IN,96IN LG,11/16IN 16TPI FEMALE SWIVEL,2500PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED
N76408230	HOSE,HYDR,1/2",114"LG,3/4"UNF,FML SWVL HOSE,HYDRAULIC,1/2IN,114IN LG,3/4IN UNF FEMALE SWIVEL,3500 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76408230
N76408-260	HOSE,HYDR,1/2",133"LG,3/8"16TPI,FML SWL HOSE,HYDRAULIC,1/2IN,133IN LG,3/8IN 16TPI FEMALE SWIVEL,3500 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76408-260.
N76508110	HOSE,HYDR,1/2",53"LG,3/8"UNC,FML SWVL HOSE,HYDRAULIC,1/2IN,53IN LG,3/8IN UNC FEMALE SWIVEL,3500 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76508110
N76508128	HOSE,HYDR,1/2",62"LG,11/16"16TPI,FML SWL HOSE,HYDRAULIC,1/2IN,62IN LG,11/16IN 16TPI FEMALE SWIVEL,3500PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76508128
N76508132	HOSE,HYDR,1/2",63"LG,3/4"UNF,FML SWVL HOSE,HYDRAULIC,1/2IN,63IN LG,3/4IN UNF FEMALE SWIVEL,4250 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76508132
N76512104	HOSE,HYDR,3/4",49"LG,1"UNF,FML SWVL HOSE,HYDRAULIC,3/4IN,49IN LG,1IN UNF FEMALE SWIVEL,3125 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76512104
N76512270	HOSE,HYDR,3/4",132"LG,1"UNF,FML SWVL HOSE,HYDRAULIC,3/4IN,132IN LG,1IN UNF FEMALE SWIVEL,3125 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76512270
N76512380	HOSE,HYDR,3/4",188-1/2"LG,1FUNF,SWVL HOSE,HYDRAULIC,3/4IN,188-1/2IN LG,1IN UNF FEMALE SWIVEL,3000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76512380
N76516410	HOSE,HYDR,1",204"LG,1-1/4"UNF FML SWVL HOSE,HYDRAULIC,1IN,204IN LG,1-1/4IN UNF FEMALE SWIVEL,3500 PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76516410
N76620136	,HYDRAULIC,1-1/4IN,70IN LG,1-1/4IN 12TPI MALE RIGID,3000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76620136
N76620216	HOSE,HYDR,1-1/4",105"LG,1-1/2"UNF FML HOSE,HYDRAULIC,1-1/4IN,105IN LG,1-1/2IN UNF FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76620216

Referans	Tanım
N76620240	HOSE,HYDR,1-1/4",116"LG,1-1/2"FUNF,SWVL HOSE,HYDRAULIC,1-1/4IN,116IN LG,1-1/2IN UNF FEMALE SWIVEL,3000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76620240
N76620264	HOSE,HYDR,1-1/4",128"LG,1-1/2"UNF FML HOSE,HYDRAULIC,1-1/4IN,128IN LG,1-1/2IN UNF FEMALE SWIVEL,3000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76620264
N76620270	HOSE,HYDR,1-1/4",132"LG,1-1/2"UNF FML HOSE,HYDRAULIC,1-1/4IN,132IN LG,1-1/2IN UNF FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76620270
N76620288	HOSE,HYDR,1-1/4",141"LG,1-1/2"FUNF,SWVL HOSE,HYDRAULIC,1-1/4IN,141IN LG,1-1/2IN UNF FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76620288
N76620294	HOSE,HYDR,1-1/4",143"LG,1-1/2"UNF FML HOSE,HYDRAULIC,1-1/4IN,143IN LG,1-1/2IN UNF FEMALE SWIVEL,3000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76620294
N76620380	HOSE,HYDR,1-1/4",187"LG,1-1/2"UNF FML HOSE,HYDRAULIC,1-1/4IN,187IN LG,1-1/2IN UNF FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76620380
N76620410	HOSE,HYDR,1-1/4",202"LG,1-1/2"FUNF,SWVL HOSE,HYDRAULIC,1-1/4IN,202IN LG,1-1/2IN UNF FEMALE SWIVEL,3000 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76620410
N76624554	HOSE,HYDR,1-1/2",273"LG,1-3/4"12TPI,FML HOSE,HYDRAULIC,1-1/2IN,273IN LG,1-3/4IN 12TPI FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76624554
N76624560	HOSE,HYDR,1-1/2",275"LG,1-3/4"12TPI,FML HOSE,HYDRAULIC,1-1/2IN,275IN LG,1-3/4IN 12TPI FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76624560
N76624570	HOSE,HYDR,1-1/2",282"LG,1-7/8" 12TPI FML HOSE,HYDRAULIC,1-1/2IN,282IN LG,1-7/8IN 12TPI STRAIGHT FEMALE FITTINGS, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76624570
N76624576	HOSE,HYDR,1-1/2",284"LG,1-7/8"12TPI,FML HOSE,HYDRAULIC,1-1/2IN,284IN LG,1-7/8IN 12TPI FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76624576
N76740090	HOSE,HYDR,2-1/2",39"LG,2-1/2"MNPT RIGID HOSE,HYDRAULIC,2-1/2IN,39IN LG,2-1/2IN MNPT RIGID FITTING,150 PSI, BRAIDED,SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC,P/N:N76740090
N77716058	HOSE,HYDR,1",26-1/2"LG,1"MNPT,1-1/4"FUNF
N7A1124340	HOSE,HYDR,1-1/2",168"LG,1-3/4"11-1/2TPI HOSE,HYDRAULIC,1-1/2IN,168IN LG,1-3/4IN 11-1/2TPI FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N7A1124340
N7A1124370	HOSE,HYDR,1-1/2",180"LG,1-3/4"11-1/2TPI HOSE,HYDRAULIC,1-1/2IN,180IN LG,1-3/4IN 11-1/2TPI FEMALE SWIVEL,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N7A1124370
N7A3504100	HOSE,HYDR,1/4",48"LG,3/8"20TPI,FML SWVL HOSE,HYDRAULIC,1/4IN,48IN LG,3/8IN 20TPI FEMALE SWIVEL,3200PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N7A3504100

Referans	Tanım
N7C7532140	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N7C7532-140 HYDRAULIC HOSE PUMP NO. 1 TO HYDRAULIC TANK. FOR MODEL 340BA-100 CRANE, YOHO ZBA & YB TAG: ZBA-LIFT-144 & YB-LIFT-144.
N7C7532150	HOSE, MFG:APPLIED HYDRAULIC HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N7C7532-150 HYDRAULIC HOSE PUMP NO. 2 TO HYDRAULIC TANK. MODEL #: 340BA-100, YOHO ZBA & YB. TAG : ZBA-LIFT-144 & YB-LIFT-144.
N7C7640140	HOSE, MFG:APPLIED HYDRAULIC HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N7C7640-140 HYDRAULIC HOSE PUMP NO. 3 TO HYDRAULIC TANK. MODEL: 340BA-100, FOR YOHO ZBA & YB. TAG: ZBA-LIFT-144 & YB-LIFT-144.
N7C7640160	HOSE. MFG:APPLIED HYDRAULIC HOSE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N7C7640-160 HYD HOSE PUMP NO. 4 TO HYD TANK MODEL: 340BA-100, TAG: ZBA-LIFT-144 &
N96406-350	HOSE,HYDR,3/8",175"LG,1/2"18TPI,FML SWVL HOSE,HYDRAULIC,3/8IN,175IN LG,1/2IN 18TPI FEMALE SWIVEL,3000PSI,BRAIDED, SYNTHETIC RUBBER,MFG:APPLIED HYDRAULIC ,P/N:N76406350
NEEDLE. MFG:APPLIED HYDRAULIC NEEDLE	NEEDLE. MFG:APPLIED HYDRAULIC NEEDLE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N60255-005 BOOM ANGLE INDICATOR NEEDLE.
PIN.DOWEL.3"DIA.15"LG.SS(REFER 485870)	PIN,BOOM SHEAVE,3IN OD X 15IN LG,SS ,MFG:APPLIED HYDRAULIC,P/N:N61152001
PIN. MFG:APPLIED HYDRAULIC PIN 2.	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N60007-009 BOOM FOOT PIN. NOTE:APPLIED HYDRAULIC SYSTEMS
PIN. MFG:APPLIED HYDRAULIC PIN, MFG:APPLIED HYDRAULIC SYSTEMS INC.	PIN. MFG:APPLIED HYDRAULIC PIN, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N60898-002 UPPER SHEAVE PIN.
PIN. MFG:APPLIED HYDRAULIC PIN4	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N61010-001 LOWER SHEAVE PIN.
PIPE. MFG:APPLIED HYDRAULIC PIPE	PIPE. MFG:APPLIED HYDRAULIC PIPE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N/A FUEL INJECTOR PIPES, CRANE MODEL : 180B-70, TAG : FQ-M-0570.
RING. MFG:APPLIED HYDRAULIC SYSTEMS INC. RING....	RING, MFG:APPLIED HYDRAULIC SYSTEMS INC, RING, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N45003-001 BALL RING (SLEW RING)
ROPE. MFG:APPLIED HYDRAULIC SYSTEMS INC	ROPE. MFG:APPLIED HYDRAULIC SYSTEMS INC. ROPE, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N00031-008 WIRE ROPE. COMPLETE WITH CERTIFICATES.
SHACKLE MFG:APPLIED HYDRAULIC SHACKLE	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N30601-006 ANTI-2 BLOCK SUSPENSION SHACKLES.
SHEAVE. MFG:APPLIED HYDRAULIC SYSTEMS IN SHEAVE.	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N45421-002
SOCKET. MFG:APPLIED HYDRAULIC SYSTEMS IN SOCKET	, MFG:APPLIED HYDRAULIC SYSTEMS
STRAINER. MFG:APPLIED HYDRAULIC SYSTEMS STRAINER.	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N45020-124, SUCTION STRAINERS.
SWIVEL. MFG:APPLIED HYDRAULIC SYSTEMS IN SWIVEL	SWIVEL, MFG:APPLIED HYDRAULIC SYSTEMS IN SWIVEL, MFG:APPLIED HYDRAULIC SYSTEMS

Referans	Tanım
TTX10016FJEE	HOSE,HYDR,1",96-1/2"LG,1-1/4UNF,FML SWVL HOSE,HYDRAULIC.1IN,96-1/2IN LG,1-1/4IN UNF FEMALE SWIVEL,150 PSI,150 PSI,SYNTHETIC RUBBER.MFG APPLIED
TURRET, MFG:APPLIED HYDRAULIC SYSTEMS IN TURRET.	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N61399-002 TURRET WELDMENT.
UNION, MFG:APPLIED HYDRAULIC SYSTEMS INC UNION	UNION, MFG:APPLIED HYDRAULIC SYSTEMS INC UNION, MFG:APPLIED HYDRAULIC SYSTEMS
VALVE, MFG:APPLIED HYDRAULIC SYSTEMS INC VALVE	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N45943-001 ANTI-2 BLOCK VALVE (CBSD VALVE) NOTE: APPLIED HYDRAULIC SYST SUPERCEEDS OIL STATE NAUTILUS. ORDER FROM MFG REP: THOMPSON & GRACE INVESTMENT LIMITED.
VALVE, MFG:APPLIED HYDRAULIC SYSTEMS INC VALVE.	MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N12972-012 COUNTER BALANCE VALVE.
W4611500316	UNIT,TEST UNIT,TEST,MFG:APPLIED HYDRAULIC ,P/N:W4611500316
WINCH, MFG:APPLIED HYDRAULIC SYSTEMS INC WINCH	, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N46433-001 FOR NAUTILUS 200B-80 CRANE, WINCH MODEL #: BRIDEN CH150, WINCH S/N: 069604-C. ORDER FROM MFG. REP. THOMPSON AND GRACE INV.
WINCH, MFG:APPLIED HYDRAULIC SYSTEMS INC WINCH.	WINCH, MFG:APPLIED HYDRAULIC SYSTEMS INC WINCH, MFG:APPLIED HYDRAULIC SYSTEMS INC, P/N: N46285-003 HOIST WINCH. C/W HYDRAULIC MOTOR AND VALVES
N46658-002-SK	KIT:SEAL, FÜR AUX-HEBEZEUG SP
N46658-002-BK	KIT:BREMSSCHEIBE, FÜR AUX-HEBEZEUG
N00031-010	DRAHTSEIL
N00163-010	SEIL: WIRE, 430 FT LG HOIST AUX, 029401C FÜR NAUTILUS MN 340LA120 CRANE, SN
N00031-010 (3000)	DRAHTSEIL
N00031-009	Hilfs Drahtseil
N00031-009	WIRE ROPE, DYFORM
N00031-009	SEIL, DYFORM
P/N: N45418-001 replaced by N60863-002-1	RETURN FILTER
P/N: N83SK1-043	HOCHDRUCK FILTER
P/N: 7C-8876	LINES GP-EINSPRITZ
P/N: N45418-501	RETURN FILTER ELEMENTS
N46018-360	THROTTLE Maschinenabschalten