

Aeroquip



Aeroquip marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir Aeroquip ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır

Aeroquip Ürün Listesi

Referans	Tanım
07.155-14-8	Aeroquip fitting
1/2" SERVICE	coupling
100078934	HAUS P.FRIGORIGENE
100078935	TUYAU FLEXIBLE P.FRIGORIGENE
10007893 DN05 FC505-4	FLEXIBSAE HOOD SEAL PIPE 3 / 4-16 90 DN10
100078938	etrier DN05 1F40105-04C
100078939	sae-capot d'etancheite 3/4-16 DN08
100079265	SAE-CAPOT D'ETANCHEITE 3/4-16 DN10 90
102023.0610 GG106-NP-04-02	RACCORDO ADATTATORE FRA
102023.0613 GG106-NP-04-04	RACCORDO ADATTATORE FRA
107017.06 M/F JIC 7/16	RACCORDO ADATT. 90° 2071-4-4S T1+T2=7/16IN-20 FRA.
125302T04150	HYDRAULIC HOSE; 4SP****; SIZE 1-1/4 "; L=6360MM
125302T04152	HYDRAULIC HOSE; 4SP****; SIZE 1-1/4 "; L=5200MM
1503-10	FLEXIBLE MOYEN.PRES.-T.10
1503-12	FLEXIBLE MOYEN.PRES.-T.12
1503-6	FLEXIBLE MOYEN.PRES.-T. 6
190302-6	90 DEGREE ROTATING NUT
2023-8-12S	Adapter
202413-4-6S	Adapter
202702-12-12S	Adapter
2089-6-6S	Adapter
210212-10S	Kontermutter
210212-12S	Adapter
22581-8	O-Ring
2556-12 (FT version)	Schlauch
2556-12, 1200 MM	Schlauch
2556-12, 1350 MM	Schlauch
2556-12, 880 MM	Aeroquip Hydraulikschlauch
2681-24X1950MM	schlauchleitung 1x1S24FL24 1x1S24FLA24

Referans	Tanım
2681-8	Eaton Aeroquip hose
2755 - 6 DN 10 4 SP 10 DIN	The hoses are 800mm long and is pressed at both ends on one Screw with 18mm nut.
2755-6/800 ITEM 342	NIPPLE 1 ET NIPPLE 2: NUT 12S 90 DEG TYPE: 45.840-12-6
2755-8-L:1250 MM	HEAT 2XGC3471-8/2X4172116-8 SLEEVE
-2755-8-L:1250 MM	X4172116-8 HEAT 2xGC3471-8 +2 PROTECTED
2755-8-L:2100MM	Schlauch 2xGC3471-8 + HITZESCHUTZ 2 X41.721-COMplete AS 16-8
2755-8-L:2100MM.	Schlauch 2xGC3471-8 + HITZESCHUTZ 2 X41.721-COMplete AS 16-8
2755-8-L:600MM.	schlauch 2xGC3471-8+heatprotecdet +2x41.721-16-8 KOMplet
-2781-5-L:850 MM	X4172116-8 HEAT 2xGC3471-8 +2 PROTECTED
2781-5-L:850 MM	HEAT 2X2HE110-5/2XGH10249-5 SLEEVE
31263-400	V-type , 40 °, of 4.485 gauge
5400-S 8-12	Schutzstopfen Losgröße: 50
5400-S2-8	Schnelltrennkupplung
5400-S5-12	Aeroquip coupler
5400-S5-16	Aeroquip coupler
5400-S5-8	Schnelltrennkupplung
5601-12-12	Aeroquip-Kupplung
5602-12-12	Aeroquip-Kupplung
681 - 10 - 2000 MM LG.	Schlauchleitung DN 16 Typ 2681 - 10 - 2000 mm lg. beidseitig 1A16BF10 / VA / flachd. mit Werkstoff: synth. NBR Nenndruck: 6 bar Prüfdruck: 9 bar Festigkeits- und Dichtigkeitsprüfung nach EN10204-3.1 Prüfzeit 1 min, Leckrate 1 Prüfmedium:Frischwasser
84200053 / GH585-6	(Aeroquip - Schlauch)
84200054 / GH585-8	(Aeroquip - Schlauch)
98805.47/48 TAG:4 JD 961/962	HOSE WITH 2 NIPPLES NIPPLE 1: NUT 20S RIGHT TYPE
AE73638H	Coupling half
AE99640E	(Coupling)
AG 5622-4-4	Male female komplett
AQ63-190600-4 G190600-4S	RACCORDO
EATON GA590-8	8 DIN 10 (M) GOCT 6286-73
FBC 0400	Hose
FBM1102	Fitting
FBM1151	Fitting 90
FBM2614	Adapter
FBM2751	Adapter
FBM2883	Adapter
FBM3822	Sleeve
FC802	flexible pour une application de réfrigération
FC802-04 DN5	hose complete with connections inside / 7/16 ", 700 mm outside
FC802-08	Schlauch
1H11	(FD45-1003-02-02)

Referans	Tanım
FRIDGE R410 FLEXIBLE CONNECTIONS	5/8 = 3 x 15m 7/8 = 2 x 15m ¾ = 1 x 15m 1 inch 1/8 = 2 x 15m ½ = 1 x 15m ¼ = 1 x 15m
G190261-6S	90 DEGREE ROTATING NUT
G190296-10S	TURNING NUT
G190296-4S	90 DEGREE ROTATING NUT
G190296-5S	90 DEGREE ROTATING NUT
190296-8S	Nuss drehen
G190297-10S	TIP TURN ELBOW 45
G190297-4S	TIP TURN ELBOW 45
G190297-5S	TIP TURN ELBOW 45
G190297-8S	TIP TURN ELBOW 45
G190299-6S	TIP TURN ELBOW 45
G4414-10S	EMBOUT TOURNANT
G4414-12S	EMBOUT TOURNANT
G4414-4S	EMBOUT TOURNANT
G4414-5S	EMBOUT TOURNANT
G4414-6S	EMBOUT TOURNANT
G5601-4-4	Aeroquip-Kupplung
G74446-32	Aeroquip splitflange
GA 494 -20	1575
GA 571-8 NW 12. 860 MM	HD Schlauch
GA 571-8 NW 12. 580 MM	HD SCHlauch
GA 571-8 NW 12. 660 MM	HD Schlauch
GA 7000524-032	KLF COVER AIR CONDITIONING
GA90451-6	Kupplungsdose
GA90452-8	Kupplungs-Stecker
GC8856-16	HOSE WITH 2 NIPPLES NIPPLE 1 ET NIPPLE 2: 1" SAE6000 90DEG
GG110-NP04-02	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP04-04	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP05-02	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP05-04	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP06-04	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP06-06	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP06-08	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP08-04	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP08-06	ADAPTER- (Aeroquip TYPE-GG110 BSPT/JIC MALE)
GG110-NP08-08	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP10-06	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP10-08	ADAPTER- (Aeroquip TYPE-GG110 BSPT/JIC MALE)
GG110-NP10-12	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP12-08	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP16-12	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE

Referans	Tanım
GG110-NP16-16	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP20-16	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP20-20	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG110-NP24-24	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG310NP08-04	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE ADAPTERS- (TYPE-SA16604, BSPT
GG310NP08-06	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG310NP10-06	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE
GG310NP10-12	ADAPTERS- (90 DEG.ELBOW BSPT/JIC male
GG310NP12-08	ADAPTERS- (90 DEG.ELBOW BSPT/JIC male
GG310NP12-12	ADAPTERS- (90 DEG.ELBOW BSPT/JIC male
GG310NP16-12	ADAPTERS- (90 DEG.ELBOW BSPT/JIC male
GG310NP16-16	ADAPTERS- (90 DEG.ELBOW BSPT/JIC male
GG310NP20-20	ADAPTERS- (90 DEG.ELBOW BSPT/JIC male
GH10 243-24	Fassung
GH10242-20	FITTINGS
GH10649-16(BN6)-X6CRNIMOTI17-12	Winkel
GH11 281-24 (90 GRAD)	. Nippel
GH11 428-24 (45 GRAD)	nipple
GH195-16 X 1000MM	SCHLAUCHLEITUNG
GH506-12 X1600MM	schlauchleitung 2x 1W16DS12
GH506-24	hose
GH506-24 X 2200MM	Schlauchleitung 1x1W24FHA24.070 1x1W24FHB24
GM90210-070	Flexmaster seal
HW 020150 – D10X14-M5-	Dichtschnur
LENGTH:2990 MM TYPE:GH506-24 NW40	HYDRAULIC HOSE 450 FITTING TYPE (I) AND (I) S(MM) I = 54MM, II = 54MM D(MM) I = 41MM
LENGTH:5970 MM TYPE:GH506-24 NW40	HYDRAULIC HOSE 450 FITTING TYPE (I) AND (I) S(MM) I = 63MM, II = 63MM D(MM) I = 51MM,II= 51MM D(MM) 54 MM
LENGTH:6000 MM TYPE:GH585-16	HYDRAULIC HOSE 450 FITTING TYPE (I) AND (I) S(MM) I = 46MM, II = 46MM D(MM) I = 30MM, II= 30MM D(MM) 31 MM
MS33514-16	Anschluss
OR2807-3/16 2807-4	TUBO TRECCIATO
R1 AT 1 ¼"	PRESSURE HOSE DAMPER
R2 AT ¾"	PRESSURE HOSE DAMPER
SA16604-04-04	MALE/BSP MALE
SA16604-06-04	ADAPTERS- (TYPE-GG110 BSPT/JIC MALE ADAPTERS- (TYPE-SA16604, BSPT
SA16604-06-06	MALE/BSP MALE
SA16604-08-06	MALE/BSP MALE ADAPTERS- (TYPE-SA16604, BSPT
SA16604-08-08	MALE/BSP MALE ADAPTERS- (TYPE-SA16604, BSPT
SA16604-12-12	MALE/BSP MALE ADAPTERS- (TYPE-SA16604, BSPT

Referans	Tanım
TWVEV 5050 - N6 T50 V-RING PACK DESIGN FOR SHAFT DIAMETER 500 NBR, 60 SHORE A, BLACK	Dichtring
TYP 2681 - 10 - 5000 MM LG.	Schlauchleitung DN 16 Typ 2681 - 10 - 5000 mm lg. beidseitig 1A16BF10 / VA / flachd. mit Werkstoff: synth. NBR Nenndruck: 6 bar Prüfdruck: 9 bar Festigkeits- und Dichtigkeitsprüfung nach EN10204-3.1 Prüfzeit 1 min, Leckrate 1 Prüfmedium:Frischwasser
1E24FL24	Die Kopplung
411-12, replaced by 1S12FJ12	Die Kopplung
2681-32	Aeroquip-Schlauch
2HE291-32	Die Kopplung
GH781-6	Schlauch
FJD-06-06	Die Kopplung
1503-4	Aeroquip-Schleineschlaus C
411-4, replaced by 1S4FJ4	Die Kopplung
1503-32	Aeroquip-Schleineschlaus C
FC355-24	SCHLAUCH KPL
FC234-16	Schlauch
1S4FJ4 Zolltarif-Nr: 73269098	Skive-Nippel
1S12FJ12	Skive-Nippel
GH 506-12 84200045 Ursprungsld: 004- Deutschland/08- Baden- Wuerttemberg Zolltarif-Nr: 40092100	AEROQUIP SCHLANGE
GH 793-4 84200124 Ursprungsld: 004- Deutschland/04 Bremen Zolltarif-Nr. 40092100	AEROQUIP SCHLANGE
GH 793-12	Schlauch
GH 793-8 84200267 Ursprungsld: 004- Deutschland/ 03-Niedersachsen Zolltarif- Nr: 40092100	AEROQUIP SCHLANGE
GH 793-6 84200271 Ursprungsld: 004- Deutschland/03 Niedersachsen Zolltarif- Nr: 40092100	AEROQUIP SCHLANGE
4722-24-24 1 1/2 "	Düse
2021-12-12 3/4 "	HOSE Titel ADAPTER
4722-8-8 bestehend aus G4202-8-8 und G4010-8	Düse
4725-16 wurde ersatzlos aus dem lieferprogramm gestrichen	Düse
G4010-8	STECKDOSE
GA90090-16.K026 ZYDK	Druckkupplungssatz 880
GA90091-16	Kupplungshülse
GA90092-16	Kupplungsstecker
2045-6-6S	Adaptern
SY8770043-1616	Schlauch, flexibel

Referans	Tanım
2755-10-800 16X800	Schlauchleitung
2755-8-750	Hoseline
2755-8-1000	Hoseline
2755-10-800	Hoseline
2781-4-700	Hoseline
NH100085-150YF-NK1237-150B0350-NK1000023-150-NK1000061 X 150, alternatives :GM90203-24, GM90007-24, GM90206-24	AEROQUIP FLEX MASTER JOINT 1-1 / 2"
5659-6	staubschutz
5659-4	staubschutz
45.721-/41.840-25-12	Schlauchleitung
84000000	Schlauchleitung
2177	Anschluss
2556-4	Schlauch
2651-4	Schaluch C
2651- 6	Schaluch C
2651-8	Schaluch C
2651-10	Aeroquip-Schlauch C
2781-4	Schaluch
2651-5	Aeroquip-Schlauch C
2651-6	Aeroquip-Schlauch C
2651-20	Aeroquip-Schlauch C
FD45-1002-08-10 - obsolete replaced by 4KP26	Kupplung
FD45-1040-10 - obsolete replaced by PPDC4HK	Kupplung
FD45-1003-08-10 - obsolete replaced by 4HP26	Kupplung
2021-4-4S	ADAPTER, GERADE
Part No : TBA	Hydraulikschlauch ADAPTER
FCM2752	Union Reducer
FCE2156	Union Reducer
FCE2048	Union Reducer
FCM3479	Fitting Kappe
FCM3480	Fitting Kappe
FCM2914	Weiblich Flare Swivel
FJ9707-0806S	-6 Schlauch X -8 weibliche ORFS verschwenken, 45 *
FJ9707-0606S	6 x Schlauch -6 weibliche ORFS verschwenken, 45 *
FJ9708-0806S	6 x Schlauch -8 weiblichen ORFS verschwenken, 90 *
FJ9708-0606S	Schlauch -6 x -6 weibliche ORFS verschwenken, 90 *
F07.155-12-6 (12S)	Schlauch 6 x 12S weibliches Drehelement, geraden

Referans	Tanım
F07.421-12-12, offered in individual parts 11.421-12-12 and G1210-12	Schlauch 12 x ¾ BSP-Innendrehelement, geraden
F07.002-8-6 (10L)	Schlauch 6 x 10L weibliches Drehelement, geraden
F07.002-16-12 (18L)	Schlauch 12 x 18L weibliches Drehelement, geraden
F07.155-20-12 (20S)	Schlauch 12 x 20S weiblichen Schwenk, gerade
F07.155-25-16 (25S)	Schlauch 16 x 25S weibliches Drehelement, geraden
GH140535	Ärmel
GH102056 obsolete, replacement 84120048, 84110004	Passend zu
GH104046	Passend zu
GH106015	Passend zu
GH106005 obsolete, replacement 84120069, 84110003	Passend zu
2556-6	Niederdruckschlauch
2651-40	Schlauch
G1212-20	Schlauch-Fassung
2781- 4	Aeroquip-Schlauch
2781-24	Aeroquip-Schlauch
GA505-6 GH13668-6GH 136 HP*10/1000	Schlauch
5400-S5-12	Schnelltrennkupplung