

Grinnell



Grinnell marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir Grinnell ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır

Grinnell Ürün Listesi

Referans	Tanım
#130	ID-NS dia-flo actuator diaphragm P/N: 43731
#25	D100013 dia-flo actuator diaphragm P/N 42708 Itt Engineered valves P/N 42708
#50	ID100014 actuator diaphragm P/N 42709 Itt Engineered valves,P/N 42709
492009002	Düsen Stahlsprinkler,Pmin =2,55 bar
493241125 (DUESE D-3 NO:24 125°WINKEL)	(BRONZE K-FAKTOR 43.2)
49-909-8	SEAT 3 IN. STEM SEAL KIT, TFE,for BUTTERFLY VALVE SERIES 8000, FLANGED DRWG. NO. BFV-90 15/17 DRWG. NO PG 7
55L00270	3/4" NPT BRONZE
577ME01681 old part number,577MA01682 new part number	Kupplung
70520E3GS	2" Grade "E"EPDM (Galvanized)#705 Flexible coupling with Grade "E" Grade "T" Nitrile Tri-Seal Gasket
70520E3S	2" Grade "E" EPDM (Painted) #705 Flexible coupling with Grade "E" Grade "T" Nitrile Tri-Seal Gasket
70520EGS	2" Grade "E" EPDM (Galvanized)#705 Flexible coupling with Grade "E"EPDM or Grade "T" Nitrile Gasket
70520ES	2" Grade "E" EPDM Painted (Painted)#705 Flexible coupling with Grade "E"EPDM or Grade "T" Nitrile Gasket
70520T3GS	2" Grade "T" Nitrile (Galvanized) #705 Flexible coupling with Grade "E" Grade "T" Nitrile Tri-Seal Gasket
70520T3S	2" Grade "T" Nitrile (Painted) #705 Flexible coupling with Grade "E" Grade "T" Nitrile Tri-Seal Gasket
70520TGS	2" Grade "T" Nitrile (Galvanized) #705 Flexible coupling with Grade "E"EPDM or Grade "T" Nitrile Gasket
70520TS	2" Grade "T"Nitrile Gasket (Painted)#705 Flexible coupling with Grade "E"EPDM or Grade "T" Nitrile Gasket
95410	VALVE, FIRE EXTINGUISHER
ANBOHRSCHELLE BSP IG FIG 730 LACKIERT - DICHTUNG EPDM DA 6X2" / 165.1X60.3MM	clamp

Referans	Tanım
DN100-4 PN10/16 DIN3352	(ABSPERRSCHIEBER FIG. 0547 MIT NICHTSTEIG.SPINDEL; DN 100-4' WEICHDICHTEND MIT STIFTZEIGERWERK; PN10/16; GGG50; DIN 3352 BAULÄNGE F4)
G VDS 8"/219.1MM	jOINT
G 2-1/2"/73.0MM	Joint
MODEL:GDA-12	complete unit, PNEUMATIC ACTUATOR TYPE DA (DOUBLE ACTING) TORQUE RANGE 93 TO 40120 IN. LB. (10.5 TO 4543 NM) TYPE SR (SPRING RETURN) TORQUE RANGE 52 TO 19534 IN. LB. (6 TO 2207 NM), STD. ACTUATORS HAVE 90 DEG. ROTATION, VARIANTS AVAILABLE ARE 0-45-90, 0-90-180 AND 0-180 DEGS.
Q150 GVP 01	PIPE DIAMETER: 168.3 flange diameter: 408 Flange thickness: 18 NUT NUMBER: 8 HOLE FLANGE DIAMETER: 172
Q250 GVP 01	PIPE DIAMETER: 273 flange diameter: 513 Flange thickness: 18 NUT NUMBER: 12 HOLE FLANGE DIAMETER: 277
RV26	Titanium deluge nozzles for our FPSO Sendje Berge
TY 3735 OR TY 3335	horizontal type sidewall sprinkler 1/2",K=80,68C(please send quote for 3735 and) TY 3335
TY3151	UPRIGHT Type sprinkler, 1/2",K=80,68C
TY3251	sprinkler drencher conventinal bronz 57 degree 1/2"
TYCO-GRINNELL	Collier avec son juin 150mm(6")
VALVE FOR HEATER 05T GRINNELL 3.2	valve
39109SC139	Grinnell nut-Absperrklappe-Größe 5' / 139,7mm Körper DI/Disc DI + EPDM/Welle 420 UL/FM/VDS Zugelassen-W/Schalte
2- 1/2"/73.0MM /MALAYSIA /GRINNELL /G /06 07 08 /KRI (500039)	Manschette
8"/219.1MM/USA/GRINNELL/G/4/ SPA (500038)	Manschette
CV-1	Schwenk-Rückschlagventil mit gerilltem Ende
PART NO.: 49-905-2	COMPLETE ABSPERRKLAPPE
775711155	SPRINKLER-HÄNGIG
775701155	SPRINKLER AUFRECHT
575781155	SPRINKLER HORIZONT. SEITENWAND
577MA00602	Die Kopplung
577MA01682	STARRES GELENK
577MA02192	Kuplung Fig.577 für Trinkwasser
114EPDMAPL	Dichtung
168EPDMAPL	Dichtung
219EPDMAPL	Dichtung
772	Rigid genuteten Kupplungsdichtung
49-905-2 obsolete	VALVE COMPL. 4" . WC8000, ASSORT
49-902-2 obsolete	VALVE COMPL. 4" . ID8000, (Wafer- oder LUG
LD-8271-4 1,2	Ventil
CV-1 (DN 65/76.1 mm)	Rückschlagventile mit Endanschlag

Referans	Tanım
49-906-7	VALVE COMPL. 8 IN. S15w, ASSORT
49-907-2	VALVE COMPL. 4 IN. S15w, ASSORT
49-909-3	VENTIL KOMPL. 4 IN. S15W ORGEN
49-902-1	VENTIL KOMPL. 6 IN. ID8000 SORT
WC-8101-3 obsolete replaced by BFV-303	SERIE 8000 3" ABSPERRKLAPPE
7280000365 BFV-303	ABSPERRKLAPPE
07-04-0538	DIAPHRAGM für Ventil 4 „EPDM
07-04-0512	MEMBRAN FÜR VENTIL 2 12 „EPDM
07-04-0504	DIAPHRAGM für das Ventil 2 „EPDM
07-04-0512	MEMBRAN FÜR VENTIL 2 -1/2 „EPDM
07-04-0538	MEMBRAN FÜR VENTIL 4" EPDM
07-04-0546	MEMBRAN FÜR VENTIL 6 „EPDM
WSS100WCCWA1LAB	Ventil Schwungrad
TFX 400	Schalttafel
LC-8181-6	VENTIL
42708	Membran des Luftmotors
313040 - Type CV-1, FM, 2"-60.3 mm	Nut-Rückschlagklappe Tyco
Figure 774 2"	Kupplung
303-1668	Membran Actuator
Type 522	Sprinkler-Anbohrschelle