

National Instruments



National Instruments marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir. National Instruments ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır.

National Instruments Ürün Listesi

Referans	Tanım
151733-02	Cable Assembly, CAT-5E Ethernet, Thin Profile, 2M
151733-10	Cable Assembly, CAT-5E Ethernet, Thin Profile, 10M
182219-01	E1 Ethernet Cable, Twisted-pair, 1M
182219-05	System Accessorie Ethernet Cable, Twisted-pair, (5m) for CompactRIO (FPGA) full configuration
182238-02	System Accessorie RS-232 (2m) for CompactRIO (FPGA) full configuration
183283-01	RS485 Null-Modem Cable, DB-9 Female to DB-9 Female, 1m
183283-02	RS 485/422 Null Modem Cable
184749-01	SH68-68-EP Cable (1m)
184749-02	SH68-68-EP, Shielded Cable, 2 m
185095-02	CABLE ASSY, Type SH100-100-FLEX, 2 m
189041-02	Geschirmtes Kabel
189588-02	Abgeschirmtes Kabel
191667-01	Abgeschirmtes Kabel
191945-02	SHC68-68 TWISTED PAIR CABLE WITH BASIC SHEILDING :2 METER FOR FV MACHINE COMPUTER
192017-02	NI CAN Single Termination, High-Speed/FD Cable, 2m
192061-01	1m SCSI-2 VHDCI DAQ Kablo
192061-01	SHC68-68-EPM Shielded Cabel, 68 D-Type to 68 VHDCI Offset, 1m
192061-01 / SHC68-68-EPM	Abgeschirmtes Kabel
192061-02 / SHC68-68-EPM	Abgeschirmtes Kabel
192061-02	SHC68-68-EPM Shielded Cable, 68-D-Type to 68 VHDCI Offset, 2 m
192061-02 SHC68-68-EPM Shielded Cable	68-D-Type to 68 VHDCI Offset, 2 m
192061-02 SHC68-68-EPM Shielded Cable	SHC68-68-EPM Shielded Cable, 68-D-Type to 68 VHDCI Offset, 2 m
192061-02 SHC68-68-EPM	Shielded Cable, 68-D-Type to 68 VHDCI Offset, 2 m

Referans	Tanım
192061-10 / SHC68-68-EPM	Geschirmtes Kabel
192568-02	SH25F-25M-2 25-Pin Female to Male Shielded I/O Cable, 2 m
192692-01	NI 9939 Backshell for 16-pos connector block (qty 1)
193132-01	USB-6009 OEM Board Only Kit (No Enclosure)
193132-01 USB-6009	OEM Board Only Kit (No Enclosure)
193132-01 USB-6009	OEM Board Only Kit (No Enclosure)
193737-01	DB37M-DB37F-EP, 37-Pin Shielded Cable - 4 AI, 4 AO, 10 DIO
194612-02	RJ50 Cable for 9944, 9945, and 9949, 2m (qty 4)
196375-01	NI 9971 Backshell for 2-pos connector block (qty 4)
196720-01	NI 9972 Strain relief kit for 6-pos spring terminal connector (qty 4) Ursprungsland: Mexico
196809-01	NI 9949 RJ-50 (female) to Screw Terminal Adaptor (Qty 4)
196938-01	NI 9978 4-po Zinn-Stromversorgungsstecker (Qty 5)
196939-01	System Accessorie NI 9979 Strain relief kit for 4-pos power connector for CompactRIO (FPGA) full configuration
199006-01	SH68-68-EPM Shielded Cable, 68-Position .050 Series D-Type To 68- Position.050 Series D-Type, 1M
199430-01	SIDE MOUNTING KIT for NI PS-16
6009	14-Bit, 48 kS/s Low-Cost Multifunction DAQ
6036E	CARD; NI DAQ CARD -PCMCIA 16 CHANNEL 200ks/s 16 Bit 2 Anloag Out
763000-01	Stromkabel
763061-01	X2 GPIB Cable,Double-Shielded,Shielded Plug/Receptacles,1 m
763061-02	X2 GPIB Cable,Double-Shielded,Shielded Plug/Receptacles,2 m
763061-04	GPIB cable
763065-01	Power Cord, 220V, 10A, Swiss
763067-01	Netzkabel
763068-01 - NOT AVAILABLE	Power Cord, 240V, 10A
763405-01	SMB110, SMB to BNC Male Coax Cable, 50 Ohm,1 m
776572-1600	NI SCXI-1600, USB Data Acquisition and Control Module
776670-35	Vollständiges LABVIEW-Entwicklungssystem
776678-35	LabVIEW Professional Development System, Windows, English, Include 1 Year SSP
776844-01	SCB-68 Noise Rejecting, Shielded I/O Connector Block
776844-01	SCB 68 Connector Block - Screw Terminal
776844-01 SCB-68 NOISE REJECTING	Shielded I/O Connector Block
776990-01	SCB-100 Noise Rejecting, Shielded I/O Connector Block
777306-01	NI PCI-6704 Analog Output Board and NI-DAQ
777318-120	cFP-TC-120, 16 Bit Thermocouple Input Module (TC, mV), 8 channel.
777550-01	USB/PCMCIA Cable Strain Relief
777697-01	NI PXI-2503 24 ch Relay Multiplexer and Matrix Switch
777812-01	CB-100 I/O Kit DIN/Panel/Desktop, 50-Pin, R1005050 Cable, 1m
777966-30	SCXI-1530, 4-Channel ICP Accelerometer Module

Referans	Tanım
778032-01	NI PCI-GPIB, NI-488.2 for Windows 7/Vista/XP
778271-01	NI PXI-4071
778472-01 USB-232	1-port USB to RS232 Serial Interface, 2m
778475-01 USB-485	1-port USB to RS485 Serial Interface, 2m
778512-01	NI PXI-6733 High-Speed Analog Output -- 1 MS/s, 16-Bit, 8 Channels
778572-23	NI PXI-2523 26-Channel 2A DPDT Relay Module
778572-27	NI PXI-2527 64-Channel 300V CAT I Multiplexer
778572-64	NI PXI-2564 16-Channel, 5 A SPST (Form A) Relays
778572-69	NI PXI-2569 High-Density, General-Purpose SPST Relays
778572-86	Röle: NI PXI 2856
778618-03	cFP-CB-3 Isothermal Connector Block
778621-01	Twisted Pair Multifunktionskabel
778621-02 / SH37F-37M-2	Kabel
778644-01	NI 14/18-Slot Chassis Front Rack Mount Kit
778644-01	[NI 14/18-Slot Chassis Front Rack Mount Kit]
778644-02	[NI 14/18-Slot Chassis Rear Rack Mount Kit]
778646-01	18-Slot Chassis Filler Panel Kit (to cover 17 slots)
778676-01	Montieren
778835-01	NI PCI-6515 Industrial 32 DI, 32 Sink DO Bank Isol. DIO & NI-DAQ
778927-01	NI GPIB-USB-HS,with NI-488.2 Software For Windows 7/Vista/XP
778927-01	NI GPIB-USB-HS with NI-488.2 Software for Windows
778968-01	NI PCI-6512 Industrial 64 Source DO, Bank Isolated Digital Output Module and NI-DAQ
779001-01 / NI-9211 Module	(4-Ch ± 80 mV, 14 S/s, 24-Bit TC and Diff AI)
779004-01	NI 9472 8-Ch 24 V, 100 μ s, Sourcing-DO-Modul
779005-01	ELEKTRONISCHE KARTE
779005-01	NI 9411 6-Ch ± 5 -24 V, 1 MHz, Single-Ended TTL or Differential Digital Input Module Das NI 9411 enthält 1 Year Warranty. Ursprungsland: Hungary
779006-01	Relay Card
779012-01	SCHRAUBKL NI 9263, +/- 10 V, 16-Bit, 100 KS / s / CH, 4-Ch AO-Modul
779013-01	NI 9201 Screw Begriff, +/- 10 V, 12-Bit, 500 kS / s, 8-Ch AI-Modul
779016-01	NI 9935 15-pin connector kit with strain relief. Includes enclosed screw terminal connector and DSub solder cup backshell.
779016-01 AND 779005-01	NI 9935 15-pin connector kit with strain relief. Includes enclosed screw terminal connector and DSub solder cup backshell. Ursprungsland: Germany
779017-01	NI 9932 Endgehäuse mit 10-poligen Verbinderblock (Menge 1)
779017-01 / NI 9932	Backshell with 10-pos connector block (qty 1)
779018-01	NI 9915 DIN Rail Mount Kit for 8-slot cRIO/cDAQ Chassis
779026-01	USB-6009 Low-Cost Multifunction I/O and NI-DAQmx
779026-01	USB-6009 Low-Cost Multifunction I/O and NI-DAQmx
779026-01	(USB-6009 Low-Cost Multifunction I/O and NI-DAQmx)
779037-35	NI SignalExpress, Windows, Include 1 Year SSP
779038-01	LFH200 Connector to Bare Wire Switch Cable, 2m

Referans	Tanım
779051-01	USB-6008 Low-Cost Multifunktions-I / O und NI-DAQmx
779051-01	USB-6008 Low-Cost Multifunction I/O and NI-DAQmx
779051-01	USB-6008 Low-Cost Multifunction I/O and NI-DAQmx
779066-01	NI PCI-6221, M Series DAQ
779068-01 NI PCI-6229	(32 AI, 48 DIO, 4 AO)
779072-01 / NI PCI-6259	16 Bit, 1 MS/s (Mehrkana), 1,25 MS/s (1-Kana), 32 analoge Eingänge
779084-01	NI PCI-6518 Industrial 16 DI, 16 Source DO Isolated DIO & NI-DAQ Complete Package
779084-01 \ PCI-6518	Digital-I/O-Gerät
779084-01 PCI-6518	Industrial 16 DI, 16 Source DO Isolated DIO & NI-DAQ
779102-01	NI 9910 cRIO/cDAQ Sliding Rack Mount Kit (Requires DIN Rail Kit)
779106-01	Klemmleiste, cRIO-9937, 4-polig, Module der Serie C
779109-01 NI PCI-6281	(16 AI, 24 DIO, 2 AO)
779111-01 NI PCI-6289	(32 AI, 48 DIO, 4 AO)
779138-01	NI 9215 with BNC
779140-01	Sourcing DO-Modul
779147-01	PCI-232/8 Port Card, NI PCI-8430/8, 8 Port, RS232 Serial Interface
P/N: 779205-01, Type: USB-6501	Digitales E/A-Gerät
779205-01 USB-6501 (24-CH, 8.5 MA)	LOW-COST USB DIGITAL I/O DEVICE.
779309-01	NI PCI-4462, 24 Bit, 204.8 kS/s, 4 Inputs, 118 dB Dynamic Range
779334-01	NI 9265 Screw Term, 0 to 20 mA, 16-Bit, 100 kS/s, 4-Ch AO Module
779351-01	MODUL
779358-01	NI TB-2627 Screw Terminal Block for NI PXI-2527
779371-01	Zubehör
779371-01.	NI USB-6008/09 Accessories: 4 Connectors, 2 Labels, 1 Screwdriver
779410-01	Low-Leakage, Low-Thermal Cable Set (60V Max)
779425-04	NI ExpressCard-GPIB and NI-488.2 with 4mGPIB cable
779471-01 / NI USB-9162	(USB Single Module Carrier for C Series Modules)
779471-01	CompactDAQ-Chassis
779473-01	NI 9901 Desktop Mounting Kit
779473-01	NI 9901 Desktop Mounting Kit
779473-01	NI 9901 Desktop Mounting Kit Ursprungsland: Hungary
779490-01	cFP-1804, 4-slot Ethernet/Serial Interface for Compact FieldPoint
779491-01	CB-37F-HVD 37-pin ScrewTerminal Blk, UL rec.150V CAT II, Din Rail
779499-01	Low-Leakage, Low-Thermal Connectivity Kit (60V Max)
779500-01	MXI-Express/ExpressCard MXI Cable, 1M
779507-01	NI ExpressCard-8360, ExpressCard MXI Interface
779513-01	NI PCIe-6259 M Series Multifunction DAQ Device and NI-DAQmx driver software Country of Origin: Hungary
779516-01	Stromeingangsmodul der C-Serie mit 8 Kanälen, ±20 mA, 200 kS/s
779517-01	NI 9477 32-Ch 5 V to 60 V, 8 us, Sinking DO Module

Referans	Tanım
779519-01	NI 9205 32-Channel ± 10 V, 250 kS/s, 16-Bit Analog Input Module
779519-01	NI 9205 32-Channel ± 10 V, 250 kS/s, 16-Bit Analog Input Module
779521-01	analoges Bridge-Eingangsmodul
779522-01	NI 9422 8-Ch 60 V, 250 us, Sinking/Sourcing DI Module
779526-01	NI 9206 16-Channel ± 10 V, 250 kS/s, 16-Bit Fuel Cell AI Module
779539-01	NI PXI 8433/4
779546-01	Multifunktions-I/O-Gerät
779558-01	NI 9905 Horizontal Panel Mounting Kit for 8-slot Chassis
779567-01	NI 9940 Backshell for 36-pos connector block (qty 1)
779567-01	NI 9940 Strain relief & high voltage connector kit for the 36-position weidmuller connector Ursprungsland: China
779592-01 / NI 9217	PT100 RTD Analogeingang, 100 S / s / ch, 4 Ch-Modul
779593-01	NI 9239 4-Ch ± 10 V, 50 kS/s/Ch, 24-bit, Ch-to-Ch Isolated AI Module
779601-35	NI Developer Suite
779622-01	NI PXI-6236, Iso (4 ± 20 mA In, 4 ± 10 V Out, DIO TTL: 6 In, 4 Out)
779647-10	NI PXI-4110 Triple-Output Programmable DC Power Supply
779647-30	NI PXI-4130 Power SMU
779655-01	NI PXI-5402 Func Gen, 20 MHz Sine/Square, 1 MHz Triangle/Ramp
779675-01	Datenerfassungsgerät
779675-01	NI USB-6210 Bus-Powered M Series w / Signal Express LE for Windows
779676-01	NI USB-6211 Bus-Powered M Series w/ Signal Express LE for Windows
779678-01	[NI USB-6218 Isolated Bus M Series w/Signal Express LE for Windows]
779689-01	DIN Rail Mounting Kit DAQ and GPIB Devices
779694-01	NI USB-6251 M Series, 26 cm, MASS Term, US (120V)
779695-01	NI USB-6259 (32 Analog Input, 1.25 MS/s) M Series Multifunction DAQ Device, MASS Term, US (120V), NI-DAQmx driver software and VI Logger Lite Data Logger software Country of Origin: Hungary
779697-02	BNC Male (plug) to BNC Male (plug) 2m cables, 4 pack of 183882-02
779730-01 PXIe-1065	18-Slot 3U PXIe/PXI Chassis
779734-35	[LabVIEW Real-Time Deployment Option for NI Developer Suite, Include 1 Year SSP]
779735-35	FPGA Deployment Option for NI Developer Suite, Include 1 Year SSP
779743-01	PXI-8432/2 2 Port RS232 Modülü
779781-01	NI 9219 4 Ch-Ch Isolated, 24-bit, ± 60 V, 100S/s Universal AI Module
779785-01	Analogeingangsmodul
779787-01	NI 9403 with DSUB 32 Ch, TTL Digital Input/Output Module
779807-01	[NI USB-621x Acc. Kit: 4 Connectors w/screws, Labels, Screwdriver]
779872-01	NI MKD-1117 Rackmount 1U LCD Monitor, Keyboard, Mouse Drawer
779891-02	NI 9870 4-Port RS232 Serial Module (Module Only)
77994001	Sinking DO Module
779955-01	37-PIN Female-to-Female DSUB Cable For NI PXI-2564, 1 m
779999-01	cRIO-9074 8-Slot Integrated 400 MHz Real-Time Ctrlr, 2M Gate FPGA

Referans	Tanım
779999-01	[cRIO-9074 8-Slot Integrated 400 MHz Real-Time Ctrlr, 2M Gate FPGA - NI cRIO-9074 - Integrated 400 MHz Real-Time Controller and 2M Gate FPGA + 960903-04 NI Standard System Assurance Program for CompactRIO]
780030-01	NI 9426 w/DSUB 32-Ch 24 V, 7 us, Sourcing Digital Input Module
780041-01	NI CAN Breakout Box 7-Port for CAN, DeviceNet, and CANOpen
780108-01	NI USB-6216 M Series Isolated Screw Terminal
780159-01	NI 9225 3-Ch +/-300V Analog Input
780315-01	Rugged Carrying Case for Portable Instrumentation
780340-01	Multifunktions-RIO (8 AI, AO 8, DIO 96)
780493-01	NI 9213 16-ch TC, 24-bit C Series module
780534-01	USB-Kabel
780558-01	NI PXI-4132 Precision Source Measure Unit (SMU) for PXI
780587-14	PXIe-2514 7 Ch, 40 A Fault Insertion Unit (FIU)
780718-01	CRIO-9022, Real-Time PowerPC Controller for cRIO, 533 MHz
780916-01	Chassis NI cRIO-9112 for CompactRIO (FPGA) full configuration
780918-01	cRIO-9114, 8-slot Virtex-5 LX 50 Reconfigurable Chassis for CompactRIO
780919-01	cRIO-9116, 8-slot Virtex-5 LX 85 Reconfigurable Chassis for cRIO
780920-01	cRIO-9118, 8-slot Virtex-5 LX 110 Reconfigurable Chassis for cRIO
780927-01	9264 NI w / DSUB 16-Ch $\pm 10V$, 25 kS / s, 16-Bit, Analog-Ausgangsmodul
780954-01	NI 9902 Desktop Mounting Kit for MXI-Express RIO
780954-01 NI 9902	Desktop Mounting Kit for MXI-Express RIO
781036-01	8 GHz Programmable RF Attenuator
781051-01	NI PCIe-6363, X Series DAQ
781053-01 NI PXIe-6356	X Series DAQ (8 Simultaneous AI, 24 DIO, 2 AO)
781055-01	Multifunktions-I/O-Modul
781092-01	Cable for NI 2512/2514 (To 8-pin D-SUB)
781092-02	cable for NI 2512/2514 (to bare wire)
781093-01	NI PS-15 Power Supply, 24 VDC, 5 A, 100-120/200-240 VAC Input
781093-01 / NI PS-15	Netzteil
781094-01	Stromversorgung
781095-01	Netzteil NI PS-17: 24 VDC, 20 A, universeller Stromeingang
781098-01	NI 9269 4ch voltage output, $\pm 10V$, ch-ch ISO
781099-01	NI 9227 4 ch current input, 5Amp, ISO, 50k, 24 bit
781153-01	PXI 18-Slot Front Panel Protector
781157-01	cDAQ-9174, CompactDAQ Chassis (4-Slot USB)
781158-35	[LabVIEW SoftMotion Module Premium, Include 1 Year SSP]
781163-01	NI PXIe-1073 Integrated MXIe, 5 Periph Slots, Chassis Only
781175-01	backshell connector for pxi 4132
781282-01	NI 9502 C Series Brushless Servo Drive Module
781313-01	cRIO-9025, Real-Time PowerPC Embedded Controller for CompactRIO, 800 MHz, 4 GB storage, 512 MB DRAM
781313-01	cRIO-9025, Real-Time PowerPC Controller for cRIO, 800 MHz

Referans	Tanım
781315-01	MXIe 14 Slot Reconfigurable RIO Chasis,LX 110 FPGA
781316-01	MXIe 14 Slot Reconfigurable RIO Chassis, LX 85 FPGA
781337-01	NI PXIe-4300 8 Ch, 250 kS/s, 300 V Ch-Ch Isolated AIM
781338-02	NI TB-4300B Terminal Block for PXIe-4300, 300V Input
781347-01	NI TB-4330 Terminal Block for PXIe-4330
781398-01	MODUL
781424-01	cDAQ-9188, CompactDAQ chassis (8 Slot ENET)
781425-01	cDAQ-9171, CompactDAQ Chassis (1 slot USB)
781441-01	NI USB-6353, X Series DAQ (32 AI, 48 DIO, 4 AO)
781443-01	NI PXI-8431/8 8-port, Serial interface with AE Support RS 422/485
781443-01	NI USB-6363, X Series DAQ (32 AI, 48 DIO, 4 AO)
781444-01	NI USB-6356, (8 Simultaneous AI, 24 DIO, 2 AO), 32 MS Memory
781503-01	Klemmenblock
781503-01	NI 9923 Front-mount terminal block for 37-pin D-Sub Modules
781503-01	NI 9923 Front-mount terminal block for 37-pin D-Sub Modules
781510-01	Modul
781622-01	NI PXIe-1078, 9-Slot 3U PXI Express Chassis
781639-01	High-Speed-CAN-FD-Modul
781639-01	NI 9862, C Series, CAN Interface, High-Speed/FD, 1 Port
781673-01	Schnittstellen-Modul
781685-01	6" TPC-2206 w/XPe,1.33 GHz,1GB RAM,4GB CF,LabVIEW TPM Deploy Lic
781787-02	CRIO-9082, High Performance Integrated System, 8-Slot, LX150, RT
781787-12	CRIO-9082, High Performance Integrated System, 8-Slot, LX150, WIN
781848-01	6" Industrial TPC w/ WES7 and LabVIEW TPM Deployment License
781849-01	12" Industrial TPC w/ WES7 and LabVIEW TPM Deployment License
781907-01 NI USRP-2921	[2.4 AND 5 GHz Software Radio Bundle]
781909-01	NI USRP-2922, 400 MHz to 4.4 GHz Software Radio Kit
781910-01	NI USRP 2930, 50MHZ TO 2.2GHZ+GPS CLOCK SOFTWARE RADIO KIT; HARDWARE, DRIVER AND TOOL
781915-01	VERT 400: 144 MHZ, 400 MHZ, TRI BAND VERTICAL ANTENA
781922-01	NI 9924 Front-mount terminal block for 25-pin D-Sub Modules
781922-01	NI 9924 Front-mount terminal block for 25-pin D-Sub Modules
781964-03	Interface-Gerät
781987-01	DIN Rail Mounting Kit for CompactRIO 908x & CompactDAQ 913x
781989-01	NI Rack Mount Kit for cDAQ/cRIO
782000-01	NI 9232 3-Ch $\pm 30V$, 102.4 kS/s, 24 Bit IEPE Analog Input Module
782026-01	Advanced Illumination RL127, Red Ring Light
782069-01	NI Ethernet Chassis 4 Slot
782340-04	NI PXIe-8135 Core i7-3610QE 2.3 GHz Controller, Win 7 (32-bit)
782340-33	[PXIe-8135 RT 2.3 GHz Intel Core i7-3610QE With LabVIEW Real-Time]
782356-01 NI PXI-2796	40 GHz Dual 6x1 Multiplexer (SP6T)
782359-01 NI PXI-2799	40 GHz Dual SPDT Relays

Referans	Tanım
782417-03	Kabel
782536-01	Shielded I / O-Anschlussblock
782536-01	SCB-68A Noise Rejecting, Shielded I/O Connector Block
782536-01	SCB-68A Noise Rejecting, Shielded I/O Connector Block
782536-01	SCB-68A Noise Rejecting, Shielded I/O Connector Block
782536-01 SCB-68A	Noise Rejecting, Shielded I/O Connector Block
782579-02	NI CAN Single Termination Cable w/Power Terminals, HS/FD, 2m
782615-01	Modul
782692-01. - UNKNOWN PRODUCT.	for myRIO-1900
782715-01	NI 9927 Zugentlastung, Bedienerschutz (Menge 1)
782715-01	NI 9927, Strain Relief and Operator Protection
782742-01	USRP INSTANT SDR B100 = WBX BUNDLE (50-2200MHZ)+ LIVEUSB - ETTUS RESEARCH
782747 - 01	USRP N210 Kit (USRP N210, 2 SMA-Bulkhead RF Cables, Ethernet Cable, Power) Ettus Research
782747-01	USRP N210 Kit (Daughterboard Not Included) Ettus Research
782748 - 01	USRP1 Kit (USRP1 Motherboard, Chassis, USB Cable, Power, Screw Kit, Fan) Ettus Research
782748-01	USRP1 KIT (USRP1 MOTHERBOARD, CHASSIS, USB CABLE, POWER, SCREW KIT, FAN) ETTUS RESEARCH
782750 -01	BasicRX USRP Daughterboard (1 - 250 MHz) - Ettus Research
782750-01	BASICRX USRP Daughterboard (1-250 MHZ) - ETTUS RESEARCH
782759 - 01	WBX USRP Daughterboard (50 MHz - 2.2 GHz) with 2 MCX Bulkhead RF Cables - Ettus Research
782759-01	WBX-40 USRP Daughterboard (50 MHz - 2.2 GHz, 40 MHz BW)
782761-01	SBX-40 USRP Daughterboard (400 MHz - 4.4 GHz, 40 MHz BW)
782767-01	Cable Assembly, MCX-M to SMA-F Bulkhead, 0.2M
782768-01	Adapter, SMA-F auf BNC-M
782769-01	Kabelmontage, SMA-M auf SMA-F Bulkhead, 0,2M
782770-01	Kabelmontage, SMA an SMA, 1M
782774 - 01	LP0410 Log Periodic PCB Antenna (400 MHz to 1 GHz) Wideband
782774-01	LP0410 LOG PERIODIC PCB ANTENNA (400 MHZ TO 1 GHZ) WIEDEBAND
782775-01	LP0965 Log Periodic PCB-Antenne (850 MHz bis 6,5 GHz)
782777-01	USRP E100/110 MicroSD Card, 4GB - Ettus Research
782779 - 01	USRP GPS-Disciplined Oscillator Kit (N210/200 (Rev 2+), E110/100 (Rev 4+) - Ettus Research
782779-01	USRP GPS-Disciplined Oscillator Kit - Ettus Research
782780 - 01	LiveUSB - Bootable USB Memory Drive - Ettus Research
782782-01	Desktop DC Power Supply, (6V DC, 3A), USRP - Ettus Research
782803-01	EMI Suppression Ferrite for NI 9401 (qty 1)
782857-01	NI PXIe-4112 2 Channel Power Supply, 60V, 1A
782866-01	50-Pin-D-Sub-Schraubklemmen-Anschlussblock

Referans	Tanım
782919-04	NI PXIe-8820 2.2Ghz Celeron 1020E Dual-Core Windows 7
783001-04 Ursprungsland: Malaysia	Core i5-4400E 2.7GHz, Dual Core, Win 7 (64)-bit
783074-01	Vert400 Vertikalantenne (144 MHz, 400 MHz, 1200 MHz) Triband
783074-01	Vert400 Vertical Antenna (144 MHz, 400 MHz, 1200 MHz) Triband
783076-01	Cable Assembly, USRP MIMO Data and Sync Cable, 0.5M
783311-01	NI 9238, +/-500 mV, 24-Bit, 50 kS/s/ch, 4-Ch, AI C Series Module
783362-01	NI 9218 DSUB, 2-Ch, 24-Bit, 51.2 kS/s/ch, Universal AI Module
783411-01	NI 9982D, Screw Terminal Block for NI 9218 DSUB (qty 1)
P/N: 783413-01 Type: NI 9983D	aktuelle Shunt
783421-01	NI 9987D, 60 V for NI 9218 DSUB
783555-04	NI VirtualBench (VB-8012) mit Euro-Netzkabel (240 VAC)
783569-01	VirtualBench Desktop Mounting Kit
960028-01	1 Year Extended Warranty for NI cDAQ-9174
960028-01	9411 NI 9935 15pin D-Sub 3 - 4") =TEXT(",
960680-100 - UNKNOWN	NI standart service program for cRIO-9074 Includes coverage for repair service discounts applied for multi-year service durations
960903-04 - NOT AVAILABLE	NI standard System Assurance Program
ASM-12" INDUSTRIAL TPC W/WES7 - NOT AVAILABLE.	and LabVIEW TPM Deployment License
ASM-CRIO 1553 - NOT AVAILABLE.	Module
ASM-SBRIO 9606 - OEM PRODUCT. CAN'T OFFER.	Dev Kit
ASM-SEA 9711 - NOT AVAILABLE.	WLAN module
BD32035	Emissions Monitoring SystemBundle ID: BD32035
BNC-2110	Connector Block
CRIO-9074:0BWB0	INTELLIGENT REAL TIME
DAQ FOR NI9225	pour mesurer de voltage
DISPLAY PORT TO VGA ADAPTOR CABLE - NOT AVAILABLE. PLEASE PROVIDE PART NUMBER	Required Accessory for NI PXIe-8820
EXTERNAL USB CD/DVD-ROM FOR USE WITH PXI & VXI EMB CONTROLLERS - NOT AVAILABLE. PLEASE PROVIDE PA	Required Accessory for NI PXIe-8820
FP-1000	RS-232/RS-485 Network Interface

Referans	Tanım
MYRID-1900 - UNKNOWN PRODUCT	FPGA card
NI 9205:0BWB0	ANALOG INPUT MODULE 32 CHANNEL
NI 9214, INCLUDES TB-9214 - 781510-01	NI 9214 16-Ch Isothermal TC, 24-bit C Series Module
NI 9239 BUNDLE ID: BD33983	(781425-01 cDAQ-9171, CompactDAQ Chassis (1 slot USB) - NI cDAQ-9171, 1-Slot USB Chassis + 779593-01 NI 9239 4-Ch ± 10 V, 50 kS/s/Ch, 24-bit, Ch-Ch Isolated AI Module)
NI 9264 BUNDLE ID: BD33984	(781425-01 cDAQ-9171, CompactDAQ Chassis (1 slot USB) - NI cDAQ-9171, 1-Slot USB Chassis + 779699-01 NI 9264 16-Channel u00B110V, 25 kS/s, 16-Bit, Analog Output Module - NI 9264, includes NI 9947 - Screw Terminal Connectivity)
NI 9264:0BWB0	ANALOG OUTPUT MODULE 16 CHANCEL P/N: NI 9264:0BWB0
NI 9401 BUNDLE ID: BD34010	(781425-01 CDAQ-9171 - NI cDAQ-9171, 1-Slot USB Chassis + 779351-01 NI 9401 8-Channel, 100 ns, TTL Digital Input/Output Module)
NI 9426:0BWB0	DIGITAL INPUT MODULE 32 CHANCEL P/N: NI 9426:0BWB0
NI 9477:0BWB0	DIGITAL OUTPUT MODULE 32 CHANCEL P/N: NI9477:0BWB0
NI GPIB-USB-HS.WITH NI-488.2	GPIB Controller for Hi-Speed USB
NI PCI 7830R	Timer Card (12 Counter)
PCI6010	Multifunktions-Datenerfassungskarte
P/N: 779070-01, Type: PCI-6251	Multifunktions-I/O-Gerät
NI PCIE-6363 781051-01	781051-01
NI PCIE-GPIB	Controller for PCI Express
NT 9205	Analog Inputs: 32 SE/16 DI · 250 kS/s · 16 bits Measurement Type: Voltage
P/N: 779084-01	NI PCI-6518 Industrial 16 DI, 16 Source DO Isolated DIO & NI-DAQ
P/N: NI 9144:0BWB0	EXPANSION CHASSIS ETHERCAT
193132-02	(USB-6008 OEM Board Only Kit (No Enclosure))
Part Nr. 779026-01	(USB-6009 Low-Cost Multifunction I/O and NI-DAQmx)
Part Nr. 779371-01	(NI USB-6008/09 Accessories: 4 Connectors, 2 Labels, 1 Screwdriver)
P/N: 779066-01 Type: PCI-6221	Multifunktionale Datenerfassungskarte
P/N: 777306-01 Type: PCI-6704	Statisches analoges Ausgabegerät
PCIE-6351 X SERIES	Data Acquisition Card
PCMCIA-485/RS485	1port Interface
POWER CORD, 240V 10A, NORTH AMERICAN - NOT AVAILABLE	Required Accessory for NI PXIe-1065
PS-15:64667	POWER SUPPLY 24VDC 5A
PXI-6123	16-Bit, 500 kS/s/ch, Simultaneous Sampling Multifunction DAQ
PXIe 6356	Data acquisition device DAQ
RS422/RS485 P/N:9871:0BWB0	SERIAL MODULE
sbRIO-9636	400 MHz Controller and LX45 FPGA, 16 Bit AIO, IDC Support (Development Kit)

Referans	Tanım
P/N: 776844-01 Type: SCB-68	Geschirr/O-Anschlussblock
SCB-68A 782536-01	Noise Rejecting, Shielded I/O Connector Block
SCXI-1100 (320673C-01)	32 CHANNEL DIFFERENTIAL MULTIPLEXER AMPLIFIER MODULE FOR SIGNAL CONDITIONING
TB-2709 PXI	Front-Mount SMB Terminal Blk for PXI-6123 & PXI-6133
779051-01	Low-Cost Multifunktions-I / O und NI-DAQmx
USB ENGLISH KEYBOARD AND OPTICAL USB MOUSE - NOT AVAILABLE. PLEASE PROVIDE PART NUMBER	Required accessory for NI PXIe-8820
NI PCI-6251 M Series	Multifunktions-DAQ-Gerät
SHC68-68-EPM	Shilded Kabel
PCB M202B ICP	Ring mit Quarzkraft
PCB 003C30	Teflonkabel
PCB 480C02	ICP Sensor Signalaufbereiter
PCB 003D03	Teflonkabel
782255-01	DAQ-GERÄT
782258-01	Datenerfassungsmodul
779676-01 / NI USB-6211	Busbetriebene M-Serie
779632-01 Ursprungsland: Hungary	NI PXI-6259, DAQ der M-Serie (32 Analogeingänge, 48 digitale I/O, 4 analoge Ausgänge) mit Ni-DAQMX-Treibersoftware
781368-01 Ursprungsland: Malaysia	NI PXIE-1071, 3HE PXI Express mit 4 Steckplätzen
PXIe-1082DC 8-Slot 3U	PXI-Express-Gehäuse mit Gleichstromversorgung
PMA-1115	Tragbarer PXI-Monitor und englisches Tastaturzubehör
PXI-6521	8 Ch-Ch Iso DI, 8 Mech Relais DO & NI-DAQ
TB-2621	37-polige D-Sub-Klemmen (weiblich), 150 V CAT II
PXIe-7966R	NI FlexRIO FPGA-Modul (Virtex-5 SX95T, 512 MB RAM)
6584 (RS-422/RS 485, 16 ch, 16 Mbps, Half Duplex)	Adapter
779139-01	Digitalmodul der C-Serie mit 32 Kanälen (stromziehende Eingänge)
9516 (780112-01)	C-Serie Servoantriebsschnittstelle mit Dual-Encoder-Rückmeldung
9411 (779005-01)	±5 bis 24 V, Differentieller digitaler Eingang, 6 Ch Modul
NI 9502 + AKM Bundle Bundle ID: BD45528	2x 781.282-01 NI 9502 - Brushless Servo Drive Module + 1x 779.005-01 NI 9411 6-Ch ± 5-24 V, 1 MHz, Diff./SE DI Module + 1x 779.016-01 NI 9935 15-poligen D-Sub-Stecker-Kit + 1x 153.108-03 AKM Motorleistungskabel - Enthält Motorleistung und Rückkopplungskabel + 1x 781.094-01 NI-PS 16 Stromversorgung, 24 VDC, 10 A, 100-120 / 200-240 VAC Eingang + 1x 199.432-01 Tafel-Montagesatz für NI PS-14/15/16/17
9426 (780030-01)	32-Kanal, 24 V, 7 µs Sourcing Digital Eingangsmodul
780989-01	PCB Hohe Empfindlichkeit, 100mV/G, ICP® (IEPE) Beschleunigungsmesser
777970-35	NI Sound- und Vibrations-Toolkit, enthält 1 Jahr SSP
779068-01 / NI PCI-6229	Multifunktions-I/O-Gerät

Referans	Tanım
192061-02 / SHC68-68-EPM Shielded Cable, 2 meters	KABEL
779792-01	NI USB-8473, 1 Port High-Speed, USB-CAN-Schnittstelle
782663-01	crio-9068 Integriertes Steuerungs- und Chassissystem, Artix-7 FPGA
780438-01	Deterministisches Ethernet-Gehäuse mit 8 Steckplätzen NI 9
782981-01	USRP B210 SDR-Kit 2x2 (70 MHz - 6 GHz) - Ettus Research
783480-01	5V GPS-Antenne, Magnethalterung, 5 m Kabel mit SMA
783454-01	Bordmontiertes GPSDO-Kit (PCB-montiertes GPS-disziplinierendes TCXO)
781047-01	NI PCIe-6343, X-Serie DAQ (32 AI, 48 DIO, 4 AO)
782536-01	Abgeschirmter I/O-Anschlussblock
779051-01	USB-6008 Low-Cost-Multifunktions-I/O und NI-DAQMX
778927-01	NI GPIB-USB-HS, mit Software für NI-488.2 für Windows 7/Vista/XP
P/N: 778927-01, Type: NI GPIB-USB-HS	GPIB Controller für Hi-Speed USB
P/N: 777318-301, Type cFP-DI-301	Digitales Eingangsmodul (DC V sinkend)
783775-01	Tochterkarte
783348-01	Verbindungs-Kit
783345-01	Ethernet-PCIe-Adapterkarte
778927-01 / NI GPIB-USB-HS	NI GPIB-USB-HS mit Software NI-488.2 für Windows 7/Vista/XP
Order No. 779026-01, Type: USB-6009	Kostengünstige Multifunktions-I/O und NI-DAQMX
779633-01	pxIE/PXI-Gehäuse
778643-01	Montagesatz für vorderes
778643-02	Montagesatz für hinteren Zahn
778572-68	Kanal-Form-A-Relaismodul
779957-01	Dsub Schraubklemmenblock
779956-01	Weiblich-zu-weiblich geschirmtes DSUB-Kabel
778959-30	Reflektierendes Memory-Glasfaserkabel
777844-35	LabVIEW Echtzeitmodul
778694-35	LabVIEW FPGA Modul
778782-02, Type: PCI-CAN/XS2	2-Port, Software auswählbare CAN-Schnittstelle für PCI
779026-01	USB-6009 Low-Cost Multifunction I/O and NI-DAQmx
781964-01	Schnittstellengerät, I2C/SPI, USB-8452, USB 2.0, 1 Anschluss, Einzelkarte, USB-Kabel
783450-01	CRIO-9030, 1,33 GHz Dual-Core CRIO, 4-fach, 70T FPGA, RT, nicht XT
157254-01	DIN-Schienen-Montages
P/N: 779001-01 Type: NI 9211	Differentielles analoges Eingangsmodul des
P/N: 779969-01 Type: NI USB-5132	USB-Digitizer mit Busbetrieb

Referans	Tanım
P/N: 779969-02 Type: NI USB-5132	Oszilloskop-Gerät
781099-01	NI 9227 4 ch current input, 5Amp, ISO, 50k, 24 bit
NI-9234	Modul
779676-01	NI USB-6211 Bus-Powered M Series w/ Signal Express LE for Windows
779004-01	Modul
779012-01	SCHRAUBKL NI 9263, +/- 10 V, 16-Bit, 100 KS / s / CH, 4-Ch AO-Modul
781157-01 / cDAQ-9174	CompactDAQ-Chassis
P/N: 779001-01 Type: NI 9211	Differentielles analoges Eingangsmodul des
P/N: 777531-01, PCI-6602	Zähler-/Timer-Gerät
P/N: 779068-01, PCI-6229	Multifunktions-I/O-Gerät
781496-01 / cDAQ-9181	CompactDAQ-Gehäuse
NI PCI-6030E	Elektronische Karte
779013-01	NI 9201 Screw Begriff, +/- 10 V, 12-Bit, 500 kS / s, 8-Ch AI-Modul
P/N: 781497-01 Type: cDAQ-9191	Kompaktes NI-DAQ-Wi-Fi-Gehäuse mit 1 Steckplatz
P/N: 781740-01 Type: NI 9913	Schienen-Kit
P/N: 782436-01	INDUSTRIELLER DRAHTLOSER ZUGANGSPUNKT
781424-01	cDAQ-9188 Gehäuse mit 8 Steckplätzen
P/N: 779018-01 Type: NI 9915	DIN-Schienenmontagekit
P/N: 782616-01 Type: NI 9220	Analoges Eingangsmodul
780291-01	PXIe-1075, 18-Slot 3U PXI-Express-Chassis
781349-01	Klemmenblock
779703-03	NI PXIe-ExpressCard8360, Expresscard MXI für PXI Express, 3m Kabel
780916-01	Chassis NI cRIO-9112 for CompactRIO (FPGA) full configuration
PCI-6527 obsolete	48-Bit isoliert Digital-I / O
PCI-1200 obsolete	Multifunktionale I / O Board
PCIe-6363 (781051-01)	Multifunktions-I/O-Gerät
P/N: 782536-01	Geschirmt
P/N: 192061-02	Kabel
P/N: 780591-02 Type: NI PCIe-8430/16	Gerät mit serieller Schnittstelle
197545-01	Kabel
182238-01	Kabel
182238-02	Kabel
182238-04	Kabel
183045-01	Kabel
183045-02	Kabel
183045-04	Kabel

Referans	Tanım
P/N: 780592-01 Type: NI PCIe-8431/8	Schnittstellenkarte
P/N: 197546-01	Kabel Assy
P/N: 183283-01	DAQ-Kabel
P/N: 183283-02	Kabel
P/N: 183283-04	Kabel
P/N: 780683-02, Type: NI PCI-8512/2	Schnittstellengerät
P/N: 780041-01	Klemmenblock
P/N: 192017-02	Montage von Testkabeln
783145-01	USRP X310 KIT (FPGA KINTEX7-410T, 2 KANÄLE, 10-GIGE, PCI-EXPRESS-BUS)
USB-6009 (779026-01)	Kostengünstige Multifunktions-I/O Karte mit NI-DAQmx
782606-01	USB Gerät
782857-01	NI PXIe-4112 2 Channel Power Supply, 60V, 1A
785264-01	Softwaredefiniertes Radio, USRP-2955, 10 MHz bis 6 GHz, 80 MHz Bandbreite, Kintex-7 410T, MXie, Ethernet
960680-100	Standard-Serviceprogramm
778673-01	Klemmenblock
NI USB -6351 BNC - invalid	Verbinder
781440-01	Verbinder
785626-01	Netzkabel, 250V, 10A, Brasilien
960680-101	Serviceplan
960680-100 for 782857-02	NI Standard Service Program für Hardware
960680-100 for 783485-01	NI Standard Service Program für Hardware
781156-01	DAQ-Gehäuse zur Verwendung mit CompactDAQ
785045-01	Digitalausgangsmodul
P/N: 785190-01 Type: NI 9264	Ausgangsmodul
P/N: 781121-01 Type: sbRIO-9852	C-Serie CAN-Schnittstellenmodul
785080-01 / cRIO-9940	Hinterschale
P/N: 782692-01 Type: myRIO-1900	eingebettetes Gerät für Universitäten mit WLAN- und MSP-Verbindung
778475-01	Serielle Schnittstelle
783740-01	NI 9263 mit Federklemmen
783787-01	Spezialisierter Steckverbinder
785192-01	NI 9375 mit Federklemmen
784387-01	USB 3.0 Kabel (1m)
196917-01	Füllmodul