

## Oakton Instruments



Oakton Instruments marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir. Oakton Instruments ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır.

### Oakton Instruments Ürün Listesi

| Referans                                                           | Tanım                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">0- 175 C</a>                                           | SEE ALSO ATTACHED PICTURE                                                                                                                                                                                                                                                                                                                          |
| <a href="#">01X099417 ECFC7252201B</a>                             | General Purpose Plastic-body Double Junction Gel-Filled pH Combination Electrode, 12x90mm, BNC connector, 1m cable                                                                                                                                                                                                                                 |
| <a href="#">01X211238</a>                                          | Zero Oxygen Solution, 0% DO, 480 mL                                                                                                                                                                                                                                                                                                                |
| <a href="#">01X366309 CYBERSCAN CON 110</a>                        | Conductivity/TDS/RS232 Meter with DAS, RS232C cable , Conductivity electrode, 1 electrode holder & Conductivity carrying kit set                                                                                                                                                                                                                   |
| <a href="#">01X366903 PHTEST30</a>                                 | Waterproof pHTestr 30 with ATC and Temperature Readout; $\pm 0.01$ pH resolution                                                                                                                                                                                                                                                                   |
| <a href="#">01X418304 WATERPROOF CYBERSCAN CON 600</a>             | Conductivity/TDS Meter with 3m cable 4-cell electrode ECCONSEN9203J, DAS software, power adapter & Conductivity/TDS carrying kit set                                                                                                                                                                                                               |
| <a href="#">01X543904</a>                                          | [ION 2700 Meter With pH Electrode (ECFG7370101B), ATC Probe (PH5TEMB01P), Integral Electrode Holder, 100/240 VAC Adapter, RS232 cable, & pH Electrode Refill Solution]                                                                                                                                                                             |
| <a href="#">1062T-JK</a>                                           | Portable temperature compensated thermocouple potentiometers for type K and type J thermocouples, Transmation                                                                                                                                                                                                                                      |
| <a href="#">1062T-TE</a>                                           | Tragbarer temperaturkompensierten Thermoelement Potentiometer für Typ E und Typ T Thermoelemente, Transmation                                                                                                                                                                                                                                      |
| <a href="#">37250-20</a>                                           | Hygrothermograph LONG-CYCLE                                                                                                                                                                                                                                                                                                                        |
| <a href="#">CON 2700 01X543905</a>                                 | [Eutech CON 2700 Meter With 4-Cell Conductivity Probe (CONSEN9201D), Integral Electrode Holder & 100/240 VAC Adapter, RS232 cable]                                                                                                                                                                                                                 |
| <a href="#">CyberScan pH 300 Ser.No. 643786 replaced by pH 450</a> | pH-Messgerät                                                                                                                                                                                                                                                                                                                                       |
| <a href="#">ECPCDWP65000</a>                                       | WASSERDICHTER CYBERSCAN PCD 650                                                                                                                                                                                                                                                                                                                    |
| <a href="#">ECPCDWP65044K</a>                                      | Waterproof CyberScan PCD 650 pH/ mV/ Ion/ Conductivity/ TDS/ Resistivity/ Salinity/ Dissolved Oxygen Meter with double junction pH electrode ECFC7252203B, 4-cell Conductivity probe ECCONSEN9203J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable). |
| <a href="#">ECPCDWP65044K WATERPROOF CYBERSCAN PCD 650</a>         | pH/ mV/ Ion/ Conductivity/ TDS/ Resistivity/ Salinity/ Dissolved Oxygen Meter with double junction pH electrode ECFC7252203B, 4-cell Conductivity probe ECCONSEN9203J, Dissolved Oxygen probe ECDOHANDYNEW, DAS software, multi-probe holder, power adapter & carrying kit set (all probes comes with 3m long cable).                              |
| <a href="#">EUTECH COND 6</a>                                      | + portable conductivity meter complete in a set with electrode and solutions                                                                                                                                                                                                                                                                       |

| Referans                                                                                                      | Tanım                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">EUTECH MULTIPARAMETER PORTABLE METER PCD 650 FOR MEASURMENT OF PH/ORP/COND/DO AND TEMPERATURE</a> | multiparameter                                                                                                                                                                                                                                                      |
| <a href="#">EW-05942-10</a>                                                                                   | OAKTON #EW05942-10 BUFFER PACKEACH 4.01,7&10 500ML                                                                                                                                                                                                                  |
| <a href="#">EW-05942-15</a>                                                                                   | PH BUFFER 4,7,10 CLEANG SOL/STRGE SOL                                                                                                                                                                                                                               |
| <a href="#">EW-08368-80</a>                                                                                   | Roter Stift mit Filzspitze für Hygrothermografen                                                                                                                                                                                                                    |
| <a href="#">EW-59001-65</a>                                                                                   | OAKTON #EW-59001-65 PH ELECTRODE, COMB,SINGLE JUNC,GEL FILL                                                                                                                                                                                                         |
| <a href="#">ION 2700</a>                                                                                      | Benchtop Meter                                                                                                                                                                                                                                                      |
| <a href="#">ORDER NO. 01X218972 ART.NO. EC620130</a>                                                          | Glass body, combination pH electrode, refillable, open pore (10 mL electrolyte included)                                                                                                                                                                            |
| <a href="#">ORDER NO. 93X218810 ART.NO. ECFG6350601B</a>                                                      | General purpose glass-body pH electrode. Single-Junction. Comes with 10 mL eletrolyte                                                                                                                                                                               |
| <a href="#">ORDER NO. 93X218814 ART.NO. ECFG7350401B</a>                                                      | General Purpose Glass-body Single Junction Refillable pH Combination Electrode, annular ceramic reference junction with protective sensor guard, 12x110mm, BNC connector, 1m cable & 10mL refilling electrolyte                                                     |
| <a href="#">ORDER NO. 93X218824 ART.NO. ECFGHGK3F01B</a>                                                      | Reinforced Glass-body Refillable pH Electrode, 12x110mm, BNC connector, 1m cable; spear tip                                                                                                                                                                         |
| <a href="#">ORDER NO. 93X218842 ART.NO. ECFG7252001B</a>                                                      | General Purpose, Flat-surface, Glass-body Single Junction Refillable pH Combination Electrode, 12x110mm, BNC connector, 1m cable                                                                                                                                    |
| <a href="#">PCSTEST35</a>                                                                                     | MULTI-TESTER                                                                                                                                                                                                                                                        |
| <a href="#">PCSTEST35</a>                                                                                     | Waterproof PCSTestr 35 pH/Conductivity/TDS/Salinity/Temp Testr with ATC; ( $\pm 0.01$ pH resolution; 0 - 200.0 $\mu$ S/cm; 0 - 2000 $\mu$ S/cm; 0 - 20.00 mS/cm; 0 - 100.0 ppm; 0 - 1000 ppm; 0 - 10.00 ppt; 0 - 100.0 ppm; 0 - 1000 ppm; 0 - 10.00 ppt; 0 - 1.00%) |
| <a href="#">THERMO-BAROMETER 945-1045 HPA</a>                                                                 | Wandmontiertes Barometer                                                                                                                                                                                                                                            |
| <a href="#">WATERPROOF CYBERSCAN CON 400</a>                                                                  | Conductivity Meter with Conductivity electrode , 1 electrode holder & Conductivity/TDS carrying kit set                                                                                                                                                             |
| <a href="#">WATERPROOF CYBERSCAN PC 300 PH</a>                                                                | /Conductivity/TDS Meter with double junction pH electrode ECFC7252201B, Conductivity electrode, 2 electrode holders (12mm dia. , 16mm dia.) & pH/Conductivity carrying kit set                                                                                      |
| <a href="#">WD-03316-80</a>                                                                                   | Wall Mounted Barometer with Temperature                                                                                                                                                                                                                             |
| <a href="#">WD-08368-40 - OBSOLETE, REPLACEMENT WD-08368-41</a>                                               | Chart paper                                                                                                                                                                                                                                                         |
| <a href="#">WD-08368-41</a>                                                                                   | Chart Paper, Hygrothermograph, 2 or 3 speed, C, 7 day, For WD-37250-00,10                                                                                                                                                                                           |
| <a href="#">WD-08368-75</a>                                                                                   | thermograph tip                                                                                                                                                                                                                                                     |
| <a href="#">WD-08368-80</a>                                                                                   | thermograph tip                                                                                                                                                                                                                                                     |
| <a href="#">WD-35150-20</a>                                                                                   | Conductivity Transmitter                                                                                                                                                                                                                                            |
| <a href="#">WD-35150-50</a>                                                                                   | Conductivity Transmitter                                                                                                                                                                                                                                            |
| <a href="#">WD-35412-01 - NOT AVAILABLE</a>                                                                   | conductivity meter kit                                                                                                                                                                                                                                              |
| <a href="#">WD-37250-10</a>                                                                                   | Hygrothermograph, 2 Speed, Spring Wound                                                                                                                                                                                                                             |
| <a href="#">WD-60025-52 - INVALID PART NUMBER</a>                                                             | Thermohygrometer with Dew point                                                                                                                                                                                                                                     |
| <a href="#">Instruction Manual PC 510</a>                                                                     | Bench pH/Leitfähigkeitsmess                                                                                                                                                                                                                                         |

| Referans                                                                                        | Tanım                                                             |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <a href="#">PCSTEST35</a>                                                                       | MULTIPARAMETER-TESTER                                             |
| <a href="#">35618-91</a>                                                                        | KIT                                                               |
| <a href="#">WD-00653-04</a>                                                                     | Lösung zur Lagerung von Elektroden, 1 Pint                        |
| <a href="#">WD-00653-06</a>                                                                     | Elektroden-Reinigungslösung, 1 Pint                               |
| <a href="#">PHSPEAR</a>                                                                         | Wasserdichtes PhSpear Testr mit MTC;                              |
| <a href="#">PC 450</a>                                                                          | pH-Messgerät                                                      |
| <a href="#">PD 450</a>                                                                          | pH-Messgerät                                                      |
| <a href="#">PHSENSOR04</a>                                                                      | Ersatz Doppeldiaphragma Spear-Spitzenelektrode für pHSpear        |
| <a href="#">ECPHWP15000</a>                                                                     | pH 150 Meter                                                      |
| <a href="#">ECPHWP15002</a>                                                                     | pH 150 Meter                                                      |
| <a href="#">ECPHWP15002K</a>                                                                    | pH 150 Meter                                                      |
| <a href="#">WD-35811-72</a>                                                                     | All-in-One pH/ATC-Sonde                                           |
| <a href="#">NIST-Traceable Calibration</a>                                                      | Handmessgerät                                                     |
| <a href="#">WD-35662-35 ECTEST11PLS</a>                                                         | Automatischer Bereich für maximale Auflösung                      |
| <a href="#">WD-35662-52</a>                                                                     | SALTTEST11 Salzgehalt-Tester wasserdicht                          |
| <a href="#">WD-35662-30 TDSTEST11</a>                                                           | ECTESTR 11 Dualrange                                              |
| <a href="#">ECTDSSENSOR Replacement<br/>Sensor for Waterproof<br/>SaltTestr11</a>               | Fühler                                                            |
| <a href="#">EW-00653-18</a>                                                                     | Leitfähigkeitslösung                                              |
| <a href="#">35624-00 obsolete/replacement<br/>EW-35423-10</a>                                   | pH-Meter Tester-1                                                 |
| <a href="#">pH 450</a>                                                                          | PH / MV / ISE / T Wasserdichtes pH 450 Portable Meter             |
| <a href="#">WD-35613-54</a>                                                                     | Messgerät                                                         |
| <a href="#">GZ-17106-20</a>                                                                     | InnoCal NIST-rückführbare Kalibrierung, für einen pH-Meter        |
| <a href="#">WD-35608-50</a>                                                                     | Ersatz-Leitfähigkeitszelle                                        |
| <a href="#">93x219065</a>                                                                       | Leitfähigkeitssonde                                               |
| <a href="#">ECTestr 11+ multi-range + EW-<br/>35662-35 obsolete/replacement<br/>EW-35634-65</a> | Mehrbereichs- becher Stil tragbare Taschen Leitfähigkeitsmeßgerät |
| <a href="#">WD-35423-10<br/>obsolete/replacement WD-<br/>35423-01</a>                           | ECO TESTER                                                        |