

Giddings-Lewis



Giddings-Lewis marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir Giddings-Lewis ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır

Giddings-Lewis Ürün Listesi

Referans	Tanım
(6SE7031-5EF60-Z C14 + G41 + G93 + K01 + K11 + M20)	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER CHASSIS UNIT
(6SE7032-1EG60-Z C14 + G41 + G93 + K01 + K11 + M20)	VECTOR CONTROL CONVERTER CHASSIS UNIT
0.05SA100H 3RP1525-1BW30	Relais tempore 220VAC 0,05S A100H 15 pages 0,05S a 100H 24-240V AC/DC
1FK7080-5AH71-1FG3	ENC:AM2048S/R F20-SERVOMOTOR
1FT 5102-OAC71-1-Z	Motor
1FT5036 OAF01	MOTEUR AUTO-SYNCHRONE SIEMENS TYPE 1FT5 3000TR/MN 0,75/0,90NM 0,2KW U.200V BTL75 ARB.D.11 LG.20,5
1FT6136-6SB71-7FA3	Motor 1FT6 136-6SB71-7FA3 NO. YF A923 3133 01 001, MO:175NM, IO: 55A, nmax: 36001/min, MN: 160NM,
1FT6163-8SB76-5DG3	Motor 1FT6163-8SB76-5DG3 NO. YF A923 3133 01 001, Mo: 425 Nm, Io:151 A, nmax: 3100 1/min, Th. CL. 155 (F), 279V
1GG6256	Motor Bürstenhalter
1LA0133-2YA80-132M	MOTEUR ELECTRIQUE 9,3 KW
1LA0133-4YA80-132M	MOTEUR ELECTRIQUE 7,5 KW
1LA0186-4YA80-180L	MOTEUR ELECTRIQUE 22 KW
1LA5186-8AB11	MOTEUR A CAGE A BASSE TENSION IP55 8-POLES T.180L 11KW 750 TR/MIN CL.THERM. 155(F) BOITIER EN ALUM.
1LA7083-4AA12-Z K50	0,75 KW 400 V - 50HZ - IP=65 - B14 TIPI - F CLASS 1500 D/DK NIEDERSpannungsmotor
1LA90804KA1	MOTEUR ELECTRIQUE 0,55 KW
1LA90964KA1	MOTEUR ELECTRIQUE 1,5 KW
1LE1001-1AB52-2AA4	MOTOR 1LA5107-4AA10-2X70 3KW
1LG4186-4AA66 180L	AC MOTOR 2 KW
1PH7137-7QG03-0BA3	Motor 1PH7 137-7QG03-0BA3 NO. YF. A923 3133 04 001, IM B35, IP 55/54 TH.CL 155(F), UN(V): 350, IN(A): 60, PN(KW) 28

Referans	Tanım
1PH7224-7QU300AA3-Z	Motor 1PH7224-7QU300AA3-Z, NO: AO1307800018001/2010, IM B3, IP 55, TH.CL. 155(F), 340V, 204A, 95KW, COS 0.84
1XP8001 1024	ENCODER
1XP8001-1/1024	DREHIMPULSGEBER, HTL-VERSION ECCN: N AL: N
2210 MOTOR 4KW (1LA7113-4AA66)	siemens-hinschl
25 A MONAFAZE C TIPI W OTOMAT	DAHA COK BILGI GEREKIYOR
2BH14907AH16-ZL43	blower fan elmo voicum pump
2SB6-213-0HL24-0KD0-Z- Y04+H03	ELECTRIC MOTOR WITH BRAKE FOR ACTUATOR
3 TF 52 22 OAPO	BOBİNİ 220V AC
3 TF-4822 OAPO US	(3 TF-4822 OAPO US) Alternatifi sunulmustur
3 TY7 440OA	Haputschaltglieder
3NA6832-4 NH	Minimum Siparis miktarı 12Adet
3RG7640-0AB00	Optischer Sensor / 10-30 VDC 800MM Schaltabstand
3RH1122-2AP00	2 no 2nc kontaklı yardımcı kontak
3RK1300-1JS01-0AAA4	Motorschuttschalter / ET200X M,7-10A
3RN1012-1CB00	STANDARD EVALUATION UNIT, MANUAL/AUTO/REMOTE,1NO+1NC, AC/DC24V, SCREW CONNECTION
3RT10231AP04 YENİ	220 V AC
3RT1024-1AP00	kontaktör
3RT10241AP04	220 V AC
3RT10251AP04 YENİ	220 V AC
3RT10261AP04 YENİ	220 V AC
3RT1044-1AP04	(3TF 47 22 OAPO) Altertnatıfı Sadece AC 230V, 50HZ için geçerli.
3RT1054-1AP36	(3TF 50-22 OAP0 için Alternatif)
3RT1054-1AU36	(3TF 50-22 OAP0 için Alternatif)
3RT1054-1NP36	(3TF 50-22 OAP0 için Alternatif)
3RT1065-6AF36 132KW 110V AC	Contactör
3RT1926-1BB00	ürün kodu degismistir
3RV1021-4DA10	motor koruma şalteri
3RV1031-4EA10	22-30A
3RV1901-1E	2 no 2 nc kontaklı yardımcı kontak
3SB2202-4LB01	SCHLUESSELSCHALTER
3SB2202-4LB01 CES 1/0	SCHLUESSELSCHALTER VERRASTEND O+I, 1S
3SB3801-2DF3	40MM TURNING TRIE EARNINGS,1oE,Mat-PG: 102 ECCN: N AL: N
3SB3901-1QA	Minimum Siparis miktarı 10adet
3SE2830-1XX20	SAFETY SWITCH
3SE5242-0HR01-1AK6	DETECTEUR MECA TYPE FOUET RESSORT.TETE INTERCH 145 MM.SANS SUPPORT.COULEUR ROUGE
3SX3207	SAFETY BRACKET

Referans	Tanım
3TA24 3RH1921-1DA11 /HILFSSCHALTER	contactor
3TA24 3RT1044-1AP04 /SCHUETZ AC3:30	contactor
3TA28 3RH1921-1JA11 /HILFSSCHALTER	contactor
3TA28 3RT1056-6AP36 /SCHUETZ AC3:90	contactor
3TF 30	DAHA COK BILGI GEREKIYOR
3TF 44 220V 50/HZ (URETILMIYOR) -	SCHUETZ, AC-3, 15KW/400V 3POLIG, BGR. S2,
3TF40 31E 220V/50 HZ (URETILMIYOR) -	AC 230V, 50/60HZ,SCHRAUBANSCHLUSS, BGR. S00
3TF44 220V 50HZ (URETILMIYOR) -	SCHUETZ, AC-3, 15KW/400V AC 230V, 50HZ, 2S+2OE,
3TF46 220V /50HZ (URETILMIYOR)	AC 230V, 50HZ, 2S+2OE 3POLIG, BGR. S2,
3TF50	Schütz
3TF52	Schütz
3TH 40 22E 230V/50HZ (URETILMIYOR) -	AC 230V, 50/60HZ
3TH40 22E 220V50HZ (URETILMIYOR) -	AC 230V, 50/60HZ,
3TY7 561-1KA00	recht-links
3TY7561-1AA00	Mat-PG: 101
3TY7561-1B (URETILMIYOR) -	FUER BAUGROESSE 2...14,,LINKS ODER RECHTS
3UN2110-OAN7 (URETILMIYOR) -	THERMISTOR-MOTORSCHUTZ STANDARD-AUSWERTEGERAET
3VF5211-2DM41-0AB1	CIRCUIT BREAKERS
3VN3 000 OHP00 32A (TANIMSIZ)	Termisch Schalter
3VU 1300 -1MK00 4-6A (URETILMIYOR) -	FUER DEN MOTORSCHUTZ, CLASS 10,STANDARDSCHALTVERMOEGEN
3VU1300-1MG00 1-1.6A (URETILMIYOR) -	STANDARDSCHALTVERMOEGEN
3VU1640-1MQ00 28-40A (URETILMIYOR) -	FUER DEN MOTORSCHUTZ, CLASS 10, STANDARDSCHALTVERMOEGEN
40 A MONAFAZE C TIPI W OTOMAT	DAHA COK BILGI GEREKIYOR
42AF35AJ	25A 3P D.P. 24V COIL
5SM3 645-0	V Automat 200 A, 300 mA
5SX2101-7	SWITCH: MINIATURE AUTOMATIC; TRIP DESCRIPTION: C; Number of Poles: 1 Current Rating: 1A; Switching capacity 6kA at 240/4150V 50/60 Hz

Referans	Tanım
5SX2101-7 RATED CURRENT: 1A	SWITCH: MINIATURE AUTOMATIC; TRIP DESCRIPTION: C/ Number of Poles: 1, Rated current: 1A; Switching CAPACITY: 6kA at 240/4150V 50/60
5SX2102-7	SWITCH: MINIATURE AUTOMATIC; TRIP DESCRIPTION: C; Number of Poles: 1 Current Rating: 2A; Switching capacity 6kA at 240/4150V 50/60 Hz
5SX2102-7 RATED CURRENT: 2A	SWITCH: MINIATURE AUTOMATIC; TRIP DESCRIPTION: C. Number of Poles: 1, Rated current: 2A; Switching CAPACITY: 6kA at 240/4150V 50/60 Hz
5SX2104-7	SWITCH: MINIATURE AUTOMATIC; TRIP DESCRIPTION: C. Number of Poles: 1, Current Rating: 4A; Switching capacity 6kA at 240/4150V 50/60 Hz
5SX2106-7	SWITCH: MINIATURE AUTOMATIC; TRIP DESCRIPTION: C. Number of Poles: 1 Current Rating: 6A; Switching capacity 6kA at 240/4150V 50/60 Hz
5SY6101-7	Circuit Breaker-1 Pole-1A
5SY6106	Circuit Breaker-1 Pole-6A
5SY6110-7	Circuit Breaker-1 Pole-10 A
5SY6115-7	Circuit Breaker-1 Pole-1,6 A
5SY6120-7	Circuit Breaker-1 Pole-20A
6AV3617-1JC30-0AX1	4x20/8x40 ZEILEN x ZEICHEN, FÜR SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12MBAUD
6AV6613-1FA51-3CA0	WINCC FLEXIBLE 2008 RUNTIME,2048 POWERTAGS
6AV6640-0CA11-0AX1	TP177 MIKRO-TOUCHSCREEN-PANEL 5,7 ZOLL (MIKRO)
6AV66420AA110AX1	Touchscreen
6AV6642-0BC01-1AX1	TP177B DP, touchscreen 4 ton blue mode 6" STN
6AV6642-0DA01-1AX1	SIMATIC OP177B 6" PN/DP STN 256 COLOR DISPLAY
6AV6647-0AB11-3AX0	KTP600 Basic mono PN, 6" Profinet interface
6AV6647-0AC11-3AX0	KTP600 Basic color DP, 6" MPI/Profibus/RS485 interface
6DR5020-0NG00-0AA0	Positioner
6DR5020-0NG00-0AA0	Positioner
6DR5020-0NG01-0AA0	SIPART PS2
6ED 1052-1FB00-OBA6	(220 VOLT INPUTLU) LOGO
6EP 1436-3BA00	3PH.AC 230/400V TO 288/500V 50/60Hz DC 24V Power Supply -20A
6EP1 337-3BA00	STABILIZED SITOP; INPUT: 1PH/2PHAC 120-230V; 50-60Hz; Exit 24V/40A
6EP1 436-3BA01	alte cod "6EP1436-3BA00") STOP
6EP1 961-3BA00	STOP BUFFER MODULU 200 MS,20
6EP1337-3BA00	STABILIZED SITOP; INPUT: 1PH/2PHAC 120-230V; 50-60Hz; Exit 24V/40A
6EP1436-3BA00	3PH.AC 230/400V TO 288/500V 50/60Hz DC 24V Power Supply -20A
6EP1437-3BA00	POWER SUPPLY (SITOP: 3AC 400-500V, DC 24V - 40A)
6EP1632-1AL01	SITOP POWER 2,4, SPECIAL LINE GEREGLTE AS-I STROMVERSORGUNG
6ES5470-8MA12	modul
6ES7 315-2AG10-0AB0	SIMATIC S7300 MODULERT CPU315-2
6ES7 321-1BH02-0AA0	SIMATIC S7-300 DIJ. MOD.
6ES7 331-7KF02-0AB0	SIMATIC S7-300 ANALOG innen MOD.
6ES7 332-5HD01-0AB0	SIMATIC S7-300 ANALOG ausen MOD.
6ES7 334-0CE01-0AA0	(4 analog input + 2 analog output 8 bit)
6ES7 392-1BJ00-0AA0	SIMATIC S7-300 fordere konnector 20

Referans	Tanım
6ES7 953-8LG11-0AA0	SİMATİC S7 MICRO MEM. CARD 128
6ES7 972-0BB52-0XA0	SİMATİC (alte cod 6ES7972-0BB50-0XA0)
6ES7138-4CB11-0AB0	SIMATIC DP, POWER MODULE PM-E FOR ET200S, DC24-48V, AC24-230V, WITH DIAGNOSTICS AND BACKUP
6ES7151-1CA00-0AB0	MODULE D'INTERFACE COUPLEUR IM151-1 BASI
6ES7195-0BD04-0XA0	DP, ASIC SPC3 STEPC BLEIFREI FUER PROFIBUS DP, MAX. 12 MBAUD 6 STCK. FUER LABORENTWICKLUNG
6ES7211-0AA23-0XB0	SIMATIC S7-200, CPU 221 COMPACT UNIT, DC POWER SUPPLY 6 DI DC/4 DO DC, 4 KB CODE/2 KB DATA
6ES7212-1AB23-0XB0	SIMATIC S7-200, CPU 222 COMPACT UNIT, DC POWER SUPPLY 8 DI DC/6 DO DC 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE
6ES7212-1AD30-0XB0	CPU 1212C DC/DC/DC 25KB (Prog+Data) 8DI / 6DO, 2AI
6ES7212-1BD31-4YB0	S71200 CPU1212 AC/DC/RÖLE EG_T_M SET
6ES7214-1AD23-0XB0	SIMATIC S7-200, CPU 224, COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 8/12 KB CODE/8 KB DATA, PROFIBUS DP EXTENDABLE
6ES7214-1AE30-0XB0	CPU 1214C DC/DC/DC 50KB (Prog+Data) 14DI / 10DO, 2AI
6ES7214-2AD23-0XB0	SIMATIC S7-200, CPU 224XP COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 2 AI, 1 AO 12/16 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7214-2AS23-0XB0	SIMATIC S7-200, CPU 224XPSI COMPACT UNIT, DC POWER SUPPLY 14DI DC/10DO DC (M), 2AI, 1AO 12/16 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7216-2AD23-0XB0	SIMATIC S7-200, CPU 226 COMPACT UNIT, DC POWER SUPPLY 24 DI DC/16 DO DC, 16/24 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7221-1BF22-0XA0	EM 221 24 VDC 8DI
6ES7221-1BH22-0XA0	EM 221 24 VDC 16DI
6ES7223-1BH22-0XA0	EM 223 24 VDC, / 24 VDC, 0.75A 8DI / 8DO
6ES7223-1BL22-0XA0	EM 223 24 VDC, / 24 VDC, 0.75A 16DI / 16DO
6ES7235-0KD22-0XA0	EM 235 0-10 V, 0-20 mA, 12 Bit 4AI / 1AO
6ES7312-1AE14-0AB0	CPU 312 32 KB* MPI
6ES7313-6CF03-0AB0	CPU 313C-2DP 64 KB* MPI + Profibus DP 16DI/16DO
6ES7314-1AG14-0AB0	CPU 314 128 KB* MPI
6ES7314-6CG03-0AB0	CPU 314C-2DP 96 KB* MPI + Profibus DP 24DI/16DO/5AI/2AO
6ES7315-2AH14-0AB0	SIMATIC S7-300, CPU 315-2DP CPU WITH MPI INTERFACE INTEGRATED
6ES7322-1BL00-0AA0	SM322 24VDC 32 outputs
6ES7322-1BL00-0AA0 /SM322. 32DA DC	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 32 DO, 24V DC, 0.5A, 40 PIN, SUM OF OUTPUT CURRENTS 4A/GROUP (16A/MODULE)
6ES7322-1BL00-0AA0-SM322	DO 32XDC24V-0,5A
6ES7-322-1BLOO-OAAO	S7 MICRO MEMORY CARD
6ES7323-1BL00-0AA0	16DI/16DO Digital Modul
6ES7-392-1AM00-0AA0	E STAND:01-WDM S5
6ES7392-1AM00-0AA0	Front Commector
6ES7922-3BD20-0AC0	40 PIN Connector+Cable
6ES7953-8LF20-0AA0	Yerine Gecmis Model
6ES7972-0BB41-0XA0	MPI Connector

Referans	Tanım
6FC5 103-0AB03 -0AA0	Sinumerik panel
6FC5203-0AF01-0AA0	SINUMERIK BEDIENTAFELFRONT; OP 010C; 10,4" TFT (640X480)
6FC5247-0AA17-0AA1	POW. SUP OP031 6FC5247-0AA17-0AA1 840D SINUMERIK FM-NC/810D/DE/840D/DE POWER SUPPLY UNIT 24 V DC FOR MMC 100/100.2/101/102/103 IN OP0 31 OR OP 032S
6FC5357 0BB34 0AA0	PROCESSEUR NCU 573.4 650MHZ SANS LOGICIEL SYSTEME MEMOIRE CN:2,5MO PLC:96KO POUR CN "SINUMERIK 840D"
6FX 1120-4BD03	CPU Kart 4BD
6FX 1128-1BB00	CPU Kart 1BB
6FX 1148-7BA01	Control Panel Kart 6FX
6FX8002-5CA31-1AH0	CABLE D'ENERGIE AU METRE 4X2,5 C CONNECT
6GT2803-0AB00	SIMATIC RF300 HANDTERMINAL RF310M,
6GT2898-0BA00	SIMATIC RF HANDHELD LADE-/DOCKING STATION.
6RA7018-6DV62-0	simoreg dc master
6RA7025-6DV62-0	simoreg dc master
6RA7078-6DV62-0	simoreg dc master
6RA7081-6DS22-0	simoreg dc master
6RA7081-6DV62-0	simoreg dc master
6RA7085-6DS22-0	simoreg dc master
6RA8000-0MV62-0AA0	CONTROLLER ROCK
6SE6440-2AD22-2BA1	EINGEBAUTEM KLASSE A FILTER
6SE7021-3EB61	VECTOR CONTROL CONVERTER COMPACT UNIT
6SE7021-4EP60-Z	DRIVER-MASTERDRIVES VC AC/AC
6SE7023-2ES87-2DC0	Braking resistor; P20:20 kW ,P3:30kW 20ohm ; (WxHxD/450x305x485)
6SE7023-4EC1 0	CONVERTER
6SE7024-7ED61	AC/AC CONVERTOR
6SE7027-2ED61	CONVERTER COMPACT UNIT
6SL3000-0CE24-0AA0	Line Reactor For 40KW Basic Line Module
6SL3054-0AA01-1AA0	CompactFlash Card; Performance extension 1 (Firmware Version 2.6)
6SL3055-0AA00-4BA0	Basic Operator Panel
6SL3120-1TE21-0AA3	Single Motor Module; 9.00 A
6SL3120-1TE21-8AA3	Single Motor Module
6SL3162-2MA00-0AA0	Connector for power cable
6SL3352-1AG33-3AA1	DC 675-1035V - 330 A
6SL3352-6TH33-3AA3	3AC 660-690V 50/60HZ
6SN1162-0BA02-0AA2	fan
6XV1820-5BN50	ISL CALIPER OPTICAL BIFIBRE CABLE (50 M)
700-375-1LA15	S5-95...115 EPROM modules long 12,5V series 375 programmable only on new PD's 8 KByte
7MF156 - 4-3AC - 001AA1 - Z URETILMIYOR	Messumformer SITRANS P210
7PA3032-1AA00-1	Trip-Circuit-Supervision Relay, 110/125V DC Coil, 1-phasig,with flush-mounting socket 7XP9011-2
7RP1012-4BA11	COUNTER TORQUE MODULE

Referans	Tanım
7SJ6111-5EB00-1FA0	Digitaler Ueberstromzeitschutz
7XG2220-1AA00 0AA0	Koruma için yardımcı ekipman.
8PT17897	(this is socket or female pin)
8PT17902	(this is plug or male pin)
9:34EE-ST1AK-RR1	CABLE ANTENNE 2,4GHZ LG:10M POUR BANCS DE ROULAGE SOURCE : C
9:34EE-ST1AP-STT	ANTENNE DIRECTIONNELLE POUR BANC DE ROULAGE SOURCE : C
A5E00124368	Mainboard
AGM14.1	Klemmensockel
AGM410490550	Plug-in base with Pg11 thread for cable entry glands
AMP	Datacabel CAT5E
B25650-D2208-A000	Mf+10/-0 % SH UN=DC 2050 V IEC 61071-1 -45...%55 °C Dry. Non PCB 29 kg
BST M 4590	TRİSTÖR
BST N 4590	TRİSTÖR
C39334-Z24-C1	KONNEKTOR
CTF2211-RM	Dual Video RX MM Rack Mount
CTF7211-RM	Video RX, TTY TX MM 2 fibres rack mount card
CTF-RM-230	19" Rack Mount Carge Cage 14 Slotc - 230 V Input
ELEKTRIK MOTOR	Asynchron, Ring, da die Art und Weise mit Rheostat (12 Stufen), 3-Phasen
ET200S IM151 6ES7151-1BA02-0AB0	Interface module High feature
FDU1010/2017753001	Motor FDU1010/2017753 001 2KJ1106-2KP13-9AJ1-Z Z108- LG180ZLB4E-L260N-IN, (IM)B3, Th.Cl. 155(F), IP55 S9, 50H
FOR BASIC SYSTEM-6 93 06 15922-6	Motor Devirdaim Kontrol Kartı (KG:6-04 S1 Kontroll gerat Range:4450 Hz 24 Volt)
G200 2BN1600-7AH26Z	3KW 3000D/DK pompe
K88-M10	MOTOX S.HEL.D.REDIKTOR+MOTOR
KADS 128-M132SB4FW-L80/50 MHZ	T2: 4700 Nm - Input Speed: 1450 r / min Output Speed: 14.9 r / min - Bonds Ratio: 97.44
KYT84/130	distbirotore sor
LFL1.335	Gas-, Ölfeuerungsautomat
LGK 16.622	A27 220-240 VAC Sortieren der Brennerhaube Relais
LI-ON 3.7V 750MAH FOR SL 400	battery
MILLTRONICS BW100 7MH7150-1AA11-0D	Messumformer
MINI VIDEO TX, TTY RX - MM TYPE VT1410M	Eski Kod: CTF6211-SM
MKK B25650-D2208	Contensators GIDDING & LEWISS B25650-D2208
NC SERIES 10 AMPERE	INSURANCE
OPC-SIEMS-NA00	S7-300 PLC'den Kepware OPC Zum Lesen der Daten auf dem Server
P/N : 3RT – 1926 – 1CD00	RC – ELEMENT , 127 – 240 VAC , 150 – 250 VDC
P3 KA 14	T2: 6190 Nm - Input Speed: 1000r/min Output Speed: 1.17 r / min

Referans	Tanım
PART NO:322-1BL00-0AA0 REV (6)	DIGITAL OUTPUT DO 32*DC24V / 0.5 A
PART NO:331-7KF02-0AB0 REV (5)	ANOLOG INPUT AI 8*12 BIT
PART NO:332-5HF00-0AB0 REV(10)	ANALOG OUTPUT AI 8*12 BIT
PART NO:332-5HF00-0AB0 REV(2)	ANOLOG OUTPUT AI 8*12 BIT
PART NO:321-1BL00-0AA0 REV(5)	DIGITAL INPUT DI 32*DC24V
PART NO:322-1BL00-0AA0 REV(2)	DIGITAL OUTPUT DO 32*DC24V/0.5 A
PART NO:332-5HD01-0AB0 REV(10)	ANALOG OUTPUT AI 8*12 BIT
POWER SUPPLY	6EP1 436-1SH01
QRA53.D27	sensor
S226-250	BURNER // HILL
SQM50.482A2	brülör servomotoru
START BUTONU	Ürün Numarasi gerekiyor !
STOP BUTONU	Ürün Numarasi gerekiyor !
TCA 3727	Integrated Drive CARD
TYPE:CG	INDUCTION MOTOR
V23042-A2005-B101	24 V DC
V23104-A1005-B101	distbiritore sor 24V DC
ZYV42466400020	unbekannt
KADS128-LA100ZLP4EW- L16GHA	Motorisierung mit Getriebe
CSM-60/KPL CODE:K102G8323	STROMVERSORGUNG
CSM-50	STROMVERSORGUNG GIDDINGS&LEWIS